

Table of Contents

1	Introduction	1
1.1	Supernova	1
1.1.1	Background and classification	1
1.1.2	Thermonuclear Supernovae: Type Ia	5
1.1.3	Core-collapse Supernovae: II, Ib, Ic	7
1.2	Cosmology and supernova	15
1.2.1	Brief Review of modern cosmology	16
1.2.2	SNe Ia and cosmology	21
1.2.3	Actual picture of our Universe	26
1.2.4	SNe II and cosmology	28
1.3	Goals of this dissertation	31
2	Observations and Supernovae sample	33
2.1	Carnegie Supernova Project (CSP)	33
2.1.1	Data reductions	34
2.2	Sloan Digital Sky Survey-II SN Survey (SDSS-II)	41
2.3	Supernova Legacy Survey (SNLS)	42
3	Methodology and Procedure	48
3.1	Methodology	48

3.2	Theoretical derivation	50
3.3	Procedure	53
4	The Photometric Color Method	62
4.1	Methodology	63
4.2	Low redshift Hubble diagram	67
4.3	High redshift Hubble diagram using the PCM	77
4.3.1	Fixed cosmology	78
4.3.2	Ω_m derivation	81
5	The Standard Candle Method	83
5.1	Photospheric expansion velocities	83
5.2	Methodology	87
5.3	Low redshift Hubble diagram	88
5.4	All sample Hubble diagram	91
5.4.1	Fixed cosmology	91
5.4.2	Ω_m derivation	93
6	Discussion	95
6.1	Low redshift	95
6.1.1	Methods comparison	95
6.1.2	SCM comparison	97
6.1.3	Low number effects	98
6.1.4	Low R_V	101
6.2	High redshift	101
6.2.1	Sample comparison	101
6.2.2	PCM versus SCM	102
6.2.3	SCM versus others works	104

6.2.4	H β velocity: A and γ correlation	105
6.2.5	Sensitivity to progenitor metallicity?	107
6.2.6	Combined SNe Ia and SNe II Hubble diagram	108
6.2.7	Malmquist bias	109
7	Summary	112
A	Host galaxy extinction	114
A.1	Spectroscopic methods	115
A.1.1	Na I D measurement	115
A.1.2	Models fitting.	115
A.2	Photometric methods	117
A.2.1	Colour-time method	119
A.2.2	colour-colour method	120
A.2.3	Multi bands fit method	126
A.3	Comparisons and conclusions	128
Bibliography		130

List of Figures

1.1	Crab nebula	3
1.2	Classification scheme of SNe	4
1.3	Phillips relationship & SNe Ia optical-light curve from Calá-Tololo . . .	8
1.4	Massive star structure	9
1.5	Core-collapse scenario.	10
1.6	Supernovae light curve taxonomy	11
1.7	SNe II plateau.	13
1.8	P-Cygni profile	14
1.9	Supernovae spectra diversity	15
1.10	Cosmological Microwave Background map from Planck	16
1.11	Luminosity distance	20
1.12	Hubble law	22
1.13	SNe Ia light curve after standardisation	23
1.14	High redshift Hubble diagram from the Supernova Cosmology Project team	24
1.15	More recent SNe Ia Hubble diagram from Betoule et al. 14	25
1.16	Universe components	27
1.17	Universe components evolution	27
1.18	Expansion velocity-luminosity correlation	29
1.19	Theoretical expansion velocity-luminosity correlation	30

1.20	HD using SCM and SNe II	30
1.21	(Ω_m, ω) confidence regions: SNe Ia, CMB, BAO	32
2.1	CSP, SDSS-II, SNLS filters band-pass	36
2.2	CSP light-curves example	37
2.3	CSP summary photometry	38
2.4	CSP summary spectroscopy	40
2.5	SDSS-II spectra and LC	42
2.6	SNLS spectra and LC	44
2.7	Pie chart: total sample	45
3.1	K correction effect	50
3.2	Procedure AKS	59
3.3	AKS spectra model comparison	61
4.1	Absolute magnitude-s ₂ correlation from Anderson et al. (2014b)	63
4.2	Absolute magnitude-s ₂ correlation for all the sample	64
4.3	s ₂ fitting	65
4.4	RMS dispersion for different filters (CSP sample)	69
4.5	RMS dispersion for different colours (CSP sample)	70
4.6	Optical Hubble diagram using the PCM for CSP sample	72
4.7	NIR Hubble diagram using the PCM for CSP sample	74
4.8	Combined Hubble diagram	75
4.9	Tully-Fisher distance vs Cepheid distances	77
4.10	Hubble diagram using the PCM for the entire sample: CSP, SDSS, and SNLS	80
4.11	Fitting parameters using the PCM and the entire sample	82
5.1	Correlation between v _{Fe} and v _{Hβ}	85

5.2	H β velocity measurement	86
5.3	Optical Hubble diagram using the SCM for CSP sample	89
5.4	NIR Hubble diagram using the SCM for CSP sample	90
5.5	Hubble diagram using the SCM for the entire sample: CSP, SDSS, and SNLS	92
5.6	Fitting parameters using the SCM and the entire sample	94
6.1	PCM SCM comparison for CSP sample and r band	96
6.2	PCM SCM comparison for CSP sample and Y band	97
6.3	Boostrapping simulation	100
6.4	Different values of R_V obtained using different filters and colours	102
6.5	Comparison of the CSP, SDSS and SNLS samples	103
6.6	Distance moduli comparison: PCM vs SCM	104
6.7	γ versus A correlation	106
6.8	Metallicity correlation	108
6.9	SNe Ia versus SNe II	109
6.10	Malmquist bias	111
A.1	Avh using theoretical model	117
A.2	Avh comparison using two different models	118
A.3	Avh from Colour time method	121
A.4	($B - V$) vs ($V - Y$) diagram using our theoretical model	122
A.5	($B - V$) vs ($V - Y$) diagram with CSP sample	124
A.6	Avh multi bands fit	126
A.7	Avh comparison methods	129

List of Tables

2.1 Supernovae sample	46
2.1 Supernovae sample	47
4.1 PCM-fit Parameters	79
6.1 SCM-fit Parameters	105
A.1 Host galaxy extinction	127
A.1 Host galaxy extinction	128