

Synthesis, characterization, spectroscopic properties and DFT study of a new pyridazinone family

By: [Arrue, L](#) (Arrue, Lily)^[1]; [Rey, M](#) (Rey, Marina)^[2]; [Rubilar-Hernandez, C](#) (Rubilar-Hernandez, Carlos)^[2]; [Correa, S](#) (Correa, Sebastian)^[1]; [Molins, E](#) (Molins, Elies)^[3]; [Norambuena, L](#) (Norambuena, Lorena)^[2]; [Zarate, X](#) (Zarate, Ximena)^[4]; [Schott, E](#) (Schott, Eduardo)^[1]

[View ResearcherID and ORCID](#)

JOURNAL OF MOLECULAR STRUCTURE

Volume: 1148

Pages: 162-169

DOI: 10.1016/j.molstruc.2017.06.004

Published: NOV 15 2017

Document Type: Article

[View Journal Impact](#)

Abstract

Nitrogen compounds are widely investigated due to their pharmacological properties such as antihypertensive, antinociceptive, antibacterial, antifungal, analgesic, anticancer and inhibition activities and lately even as pesticide. In this context, we present the synthesis of new compounds: (E)-6-(3,4-dimethoxyphenyl)-3-(3-(3,4-dimethoxyphenyl)acryloyl)-1-(4-R-phenyl)-5,6-dihydropyridazin-4(1H)-one (with R = -H(1), -Cl(2), -Br(3), -I(4) and -COOH(5)) that was carried out by reaction of (1E, 6E)-1,7-bis(3,4-dimethoxyphenyl)hepta-1,6-diene-3,5-dione with a substituted phenylamine with general formula p-R-C₆H₄-NH₂ (R = -H (1), -Cl (2), -Br(3), -I(4) and -COOH(5)). This is the first synthesis report of a pyridazinone using as precursors a curcuminoid derivative and a diazonium salt formed in situ. All compounds were characterized by EA, FT-IR, UV-Vis, Emission, H-1- and (13)C-NMR spectroscopy and the crystalline and molecular structure of 4 was solved by X-rays diffraction method. DFT and TD-DFT quantum chemical calculations were also employed to characterize the compounds and provide a rational explanation to the spectroscopic properties. To assess the biological activity of the systems, we focused on pesticide tests on compound 2, which showed an inhibitory effect in plant growth of *Agrostis tenuis* Higland. (C) 2017 Elsevier B.V. All rights reserved.

Keywords

Author Keywords: [Pyridazinone](#); [Synthesis](#); [DFT](#); [Characterization](#)

KeyWords Plus: [EFFECTIVE CORE POTENTIALS](#); [MOLECULAR CALCULATIONS](#); [DERIVATIVES](#); [HARDNESS](#)

Author Information

Reprint Address: Schott, E (reprint author)

+ Pontificia Univ Catolica Chile, Fac Quim, Dept Quim Inorgan, Avda Vicuna Mackenna 4860, Santiago, Chile

Addresses:

+ [1] Pontificia Univ Catolica Chile, Fac Quim, Dept Quim Inorgan, Avda Vicuna Mackenna 4860, Santiago, Chile

+ [2] Univ Chile, Fac Ciencias, Dept Biol, Plant Mol Biol Ctr, Santiago, Chile

+ [3] Inst Ciencia Mat Barcelona ICMAB CSIC, Campus Univ Autonoma Barcelona, Bellaterra 08193, Spain

+ [4] Univ Autonoma Chile, Inst Ciencias Quim Aplicadas, Fac Ingn, Av Pedro de Valdivia 425, Santiago, Chile

E-mail Addresses: maschotte@gmail.com

Funding

Funding Agency	Grant Number
Fondo Nacional de Ciencia y Tecnologia of Chile, FONDECYT	1171118 11140563 1161416 1120289
Ministerio de Economia y Competitividad of Spain	ENE 2015-63969 SEV 2015-496
CONICYT-Programa de Cooperacion Internacional	REDES150042

[View funding text](#)

Publisher

ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS

Journal Information

- **Impact Factor:** [Journal Citation Reports](#)

Categories / Classification

Research Areas: Chemistry

Web of Science Categories: Chemistry, Physical