

TABLA DE CONTENIDO

CONTENIDO

CAPÍTULO 1: Introducción	7
CAPÍTULO 2: <i>Tradeoffs</i> entre Hidroelectricidad y Riego en un Sistema Hidrotérmico Multi-cuenca	13
NOMENCLATURE	15
2.1 Introduction	16
2.2 Model Description.....	18
2.2.1 Hypothetical system	18
2.2.2 Model Formulation.....	19
2.2.3 Input Data to the power system model	22
2.3 Results and analysis	25
2.3.1 Expected Future Cost Function	25
2.3.2 Reservoirs' Operation Simulation	26
2.3.3 Irrigation Reliability	29
2.3.4 Economic tradeoffs.....	30
2.4 Conclusions	32
CAPÍTULO 3: Conclusiones y comentarios.....	34
BIBLIOGRAFÍA	36
ANEXOS.....	39
ANEXO 1: Cómo afecta la capacidad de transmisión a los <i>tradeoffs</i> entre riego y electricidad.....	39

Índice de Tablas

TABLE 1. System Data.....	22
---------------------------	----

Índice de Figuras

FIG. 1. Esquema de metodología.	10
FIG. 2. Schematics of the methodology	17
FIG. 3. Hypothetical system composed by the electric system and hydraulic system.	19
FIG. 4. System's energy and water requirements.....	22
FIG. 5. Thermoelectric Generators Costs Functions	23
FIG. 6. Annual Hydrograph. Mean inflows to each reservoir compared with irrigation water requirement in the corresponding irrigation area	23
FIG. 7. Irrigation Costs. A) Monthly irrigation costs in watershed 1. B) Monthly irrigation costs in watershed 2.....	24
FIG. 8. First stage expected cost function obtained from different formulations.	25
FIG. 9. Average reservoir releases and water requirements as a percentage of turbine capacity.....	27
FIG. 10. Average reservoir storage as a percentage of total storage at the end of the stage	28
FIG. 11. A) Irrigation Reliability of 80%. B) Irrigation deficit as a percentage of total irrigation water requirement	30
FIG. 12. Average Generation and Irrigation Costs.....	31
FIG. 13. Tradeoff curve: Δ Generation costs vs. Δ Irrigation Costs.....	32
FIG. 14. Promedio Costos de Generación vs. Promedio Costos de Riego para distintas capacidades de transmisión	39