



Correction to: Digital vs. analog PET/CT: intra-subject comparison of the SUVmax in target lesions and reference regions

Francisco Fuentes-Ocampo¹ · Diego Alfonso López-Mora¹ · Albert Flotats¹ · Gabriela Paillahueque² · Valle Camacho¹ · Joan Duch¹ · Alejandro Fernández¹ · Anna Domènech¹ · Montserrat Estorch¹ · Ignasi Carrió¹

Published online: 9 February 2019

© Springer-Verlag GmbH Germany, part of Springer Nature 2019

Correction to: European Journal of Nuclear Medicine and Molecular Imaging
<https://doi.org/10.1007/s00259-018-4256-0>

The article Digital vs. analog PET/CT: intra-subject comparison of the SUVmax in target lesions and reference regions, written by Francisco Fuentes-Ocampo, Diego Alfonso López-Mora, Albert Flotats, Gabriela Paillahueque, Valle Camacho, Joan Duch, Alejandro Fernández, Anna Domènech, Montserrat Estorch, Ignasi Carrió, was originally published electronically on the publisher's internet portal (currently SpringerLink) on 07 January 2019 with open access.

With the author(s)' decision to step back from Open Choice, the copyright of the article changed on 09 February 2019 to © Springer-Verlag GmbH Germany, part of Springer Nature 2019 and the article is forthwith distributed under the terms of copyright.

Publisher's note Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

The online version of the original article can be found at <https://doi.org/10.1007/s00259-018-4256-0>

✉ Francisco Fuentes-Ocampo
franciscofuentesocampo@gmail.com

¹ Nuclear Medicine Department, Hospital Sant Pau, Autonomous University of Barcelona, Sant Antoni M. Claret, 167, 08025 Barcelona, Spain

² Nuclear Medicine Department, Hospital Clínico, Universidad de Chile, Santiago, Chile