

Table of Contents

1. Introduction	1
1.1. Motivation	1
1.2. Context and problem definition	1
1.3. General Objective	2
1.4. Specific Objectives	2
1.5. Outline	2
2. Theoretical Framework	3
2.1. Electromechanical systems	3
2.1.1. Accelerometer	3
2.1.2. Gyroscope	4
2.1.3. Magnetometer	5
2.2. Sensor noise analysis	6
2.2.1. Noise characteristics of inertial sensors	6
2.2.1.1. Constant Bias	7
2.2.1.2. Bias instability	7
2.2.1.3. Random Walk	7
2.2.1.4. Quantization noise	8
2.2.1.5. Random walk rate	8
2.2.1.6. Ramp rate	8
2.2.1.7. Sinusoidal noise	8
2.2.2. Allan variance	8
2.2.3. Noise identification	9
2.3. Coordinate system, and use of quaternions	10
2.4. State estimators	11
2.4.1. Kalman Filter	12
2.4.1.1. Extended Kalman Filter	13
2.5. Data processing	14
2.5.1. Signal filters	14
2.5.1.1. Types of digital filters	14
2.5.1.2. Filter frequency analysis	15
2.5.2. Interpolation	16
2.5.2.1. Linear interpolation	16
2.5.2.2. Spline interpolation	16
2.6. Machine Learning and regression	17
2.6.1. Regression problem	18
2.6.2. Artificial Neural Networks	19

2.6.2.1.	Perceptron and multilayer perceptron	20
2.6.2.2.	Denoising autoencoder	21
2.6.2.3.	Deep Learning	22
2.6.3.	Recurrent Neural Networks	23
2.6.3.1.	Long-Short Term Memory	25
2.6.3.2.	Gated recurrent unit	26
2.6.3.3.	Bidirectional networks	26
2.6.4.	Overfitting and regularization	27
3.	Methodology of development	29
3.1.	Pedestrian Dead Reckoning	29
3.1.1.	Step detection	29
3.1.2.	Step Length Estimation	31
3.1.3.	Orientation Estimation	32
3.1.4.	Algorithm integration for the creation of the PDR model	32
3.2.	Used resources	32
3.3.	Dataset collection	33
3.3.1.	Dataset for noise sensor analysis	33
3.3.2.	Datasets for the PDR model	33
3.3.3.	Dataset for final position estimation	34
3.4.	Analysis and data preprocessing	35
3.4.1.	Data interpolation	36
3.4.2.	Filter application	36
4.	Step Detection	37
4.1.	Classic methods of step detection	37
4.2.	Acceleration analysis	37
4.3.	Data preprocessing	39
4.4.	Prediction algorithm generation	40
5.	Step Length Estimation	45
5.1.	Classic methods	45
5.2.	Proposed model	46
5.2.1.	Extraction of temporary features based on LSTM	47
5.2.2.	Noise sanitization using Denoising Autoencoders	48
5.2.3.	Step length estimation regression using a LSTM-DAE network	49
5.3.	Hyperparametric selection and training analysis	50
5.4.	Classic methods comparison	51
5.5.	Comparison between proposed models	51
6.	Orientation Estimation	53
6.1.	Orientation estimation difficulties	53
6.1.1.	Sensor noise	53
6.1.2.	Gimbal Lock	53
6.1.3.	Earth orientation	54
6.1.4.	Magnetic distortions	57
6.2.	Kalman Filter design	58

6.2.1.	Orientation cinematics	58
6.2.1.1.	Quaternionic representation of the orientation	58
6.2.1.2.	Sensor modelling	59
6.2.2.	Filter design	59
6.2.3.	Data reprocessing	60
6.3.	Results and model comparison	61
7.	Pedestrian Dead Reckoning model	67
8.	Final Observations	75
8.1.	Conclusions	75
8.2.	Future work	76
	Bibliography	81