

CONTENT

CHAPTER 1: Introduction	1
1.1. Overview and Motivation	1
1.2. Geological Setting of the El Laco	4
1.3. Previous Studies and Genetic Interpretations	6
1.4. Research Goals and Hypothesis	8
1.5. Publications Resulting from this Research	9
1.6. Other Publications Related to this Research	10
CHAPTER 2: Formation of massive iron deposits linked to explosive volcanic eruptions	11
2.1. Introduction	12
2.2. Results	12
2.2.1. Depth-dependent textures and geochemical gradients of magnetite	12
2.3. Discussions	14
2.3.1. The optimal pathways for iron enrichment	15
2.3.2. Implications for iron metallogenesis in collapsing volcanic systems	17
2.4. Samples And Methods	18
2.5. References	19
2.6. Acknowledgements	24
2.7. Author Contributions	24
2.8. Figures	25
CHAPTER 3: Magmatic-hydrothermal evolution of the El Laco iron deposit revealed by trace element geochemistry and high-resolution chemical mapping of magnetite assemblages	29
3.1. Introduction and Background	30
3.2. Geological Setting	32
3.3. Samples and Methods	33
3.3.1. SEM and EPMA methods	33
3.3.2. LA-ICP-MS analysis	34
3.3.3. Synchrotron X-ray fluorescence microscopy	34
3.4. Results	35
3.4.1. Magnetite microtextures and elemental distribution	35
3.4.2. Geochemistry of magnetite	36
3.4.3. Microtextures and chemical composition of clinopyroxene	37
3.5. Discussion	38
3.5.1. Origin of magnetite microtextures in the andesite host rocks	38

3.5.2.	Fluid-mediated magnetite ore formation and dissolution-precipitation	39
3.5.3.	Geochemical gradients in magnetite and magmatic-hydrothermal evolution	41
3.5.4.	Supporting evidence from clinopyroxene in the andesites and ore bodies	42
3.6.	Summary and Conclusions	44
3.7.	Acknowledgements	46
3.8.	References	46
3.9.	Figures	58
3.10.	Tables	68
CHAPTER 4: Fluid-assisted assembly of magnetite microparticles: evidence from the giant El Laco iron oxide deposit, Chile		71
4.1.	Introduction	72
4.2.	Geological Background and Samples.....	73
4.3.	Methods	73
4.4.	Internal Structure	74
4.5.	Formation of Magnetite Microspheres	75
4.6.	Implications for Iron Mineralization	76
4.7.	Acknowledgments.....	77
4.8.	References	77
4.9.	Figures	81
CHAPTER 5: Conclusions.....		85
BIBLIOGRAPHY		88
ANNEXES.....		93
ANNEX A: Supplementary Material for Chapter 2.....		93
A1. Supplementary Table 1: Summary of EPMA conditions for magnetite analysis.....		93
Supplementary Figure A2: This figure is an expanded version of Figure 2 in the main text, where pictures of hand specimens are shown for each sample (Drill core LCN-0944).....		94
Supplementary Figure A3: Schematic illustration of a representative drill core from Laco Sur showing the morphology and lithological variations of the magnetite ore bodies (drill core LCO-0721A). BSE images of magnetite textural types are shown (center), as well as pictures of hand specimens taken at different depths (left): (a) Euhedral magnetite grain showing inclusion-rich cores surrounded by pristine magnetite rims. Hematite (\pm goethite) are observed along the grain rims. (b) Coarse magnetite grain containing inclusion-rich cores surrounded by more pristine magnetite rims. (c) Relatively pristine magnetite from the breccia matrix, containing inclusions of scapolite and clinopyroxene. The andesitic fragments are pervasively replaced by fine-grained scapolite. (d) Magnetite from late veins exhibiting crystallographically-controlled, alternating inclusion-rich and inclusion-poor zones (blue arrows). mt: magnetite, cpx: clinopyroxene, scp: scapolite.		95

Supplementary Figure A4: Schematic illustration of a representative drill core from Laco Sur showing the morphology and lithological variations of the ore bodies (drill core LCO-0715). BSE images of magnetite textural types are shown (center), as well as pictures of hand specimens taken at different depths (left): (a) Euhedral coarse-grained magnetite grain exhibiting resorbed inclusion-rich cores surrounded by magnetite rims with abundant nano-sized inclusions. (b) Magnetite grain from the breccia matrix containing abundant scapolite and clinopyroxene. (c) Ti-rich magnetite from the breccia matrix, showing well-developed ilmenite exsolution lamellas, which exhibit both trellis and sandwich textures.	96
Supplementary Figure A5: Pictures of outcrops and hand samples from the El Laco deposit: (a-c) Outcrop of the Laco Norte ore body. Note the highly vesicular texture. (d-e) Outcrop of the San Vicente Alto ore body. Note the degassing structures including vesicles, pores and rounded structures similar to bubble aggregates (d), and subvertical degassing conduits (e). (f) Massive magnetite outcrop from Laco Norte showing pahoehoe-type flow structures.....	97
A6. Table showing EPMA data for magnetite from Laco Norte, Laco Sur, Extensión Laco Sur, Pasos Blancos, Rodados Negros, San Vicente Alto y Cristales Grandes.	98
ANNEX B: Supplementary Material for Chapter 3	123
Supplementary Figure B1: Photographs of the andesite samples from the units that host the different ore bodies at El Laco volcanic complex associated with back-scattered electron (BSE) images of magnetite-rich glomerocrysts. mgt: magnetite, ilm: ilmenite, cpx: clinopyroxene, opx: orthopyroxene, Fap: fluorapatite, plg: plagioclase.	124
Supplementary Figure B2: Photographs of the drill core samples from the El Laco magnetite ore bodies. (a) SVA-1001 drill core from San Vicente Alto ore body. (b) EPI-0702 drill core from Cristales Grandes ore body. (c) EPI-0808 drill core from Rodados Negros ore body. Photographs display the transition from massive magnetite at surface/shallow depths to magnetite breccias at depth; some host veinlets.	125
Supplementary Figure B3: Photographs of the drill core samples from the El Laco magnetite ore bodies. (a) SVA-1010 drill core from San Vicente Alto ore body. (b) SVB-1004 drill core from San Vicente Bajo ore body. (c) SVB-1002 drill core from San Vicente Alto ore body. The examples show the transition from massive magnetite at surface/shallow depths to magnetite breccias at depth.	126
Supplementary Figure SB4: Synchrotron three-elemental (RGB) μ -XRF maps and BSE images iron ore samples from the deep zone (Mgt-deep; breccias and veinlets) at El Laco. (a,d, f) Whole-thin section photographs of the different types of breccias and crosscutting veinlets (f). (b) Ca-Ti-Fe map of a breccia sample from Laco Norte ore body showing trellis textured magnetite and ilmenite grains, which are also shown in BSE images (c,d). (e) K-Ca-Fe map of breccia sample from Pasos Blancos ore body. (g) Ti-Ca-Fe map of a breccia sample crosscut by a magnetite-clinopyroxene veinlet from Pasos Blancos ore body. Note that the trellis texture in magnetite in the veinlet. mgt: magnetite, cpx: clinopyroxene, ilm: ilmenite, gyp: gypsum, rut: rutile.....	127
Supplementary Figure B5: Synchrotron single and three-elemental (RGB) μ -XRF maps of iron ore samples from deep zone (Mgt-deep; veinlets) from El Laco. (a,e) Whole-thin section photographs of the different type of veinlets observed in drill core samples from Extensión Laco Sur ore body. (b,c) Ti-Ca-Fe and Mn maps of magnetite-clinopyroxene-ilmenite veinlets crosscutting andesite horizons. (f,g,i) Sr-Ti-Ca maps showing the textural relationships between	

magnetite, ilmenite, clinopyroxene and scapolite. Note the symplectitic-like intergrowth between titanite, ilmenite and clinopyroxene in (h). Note the trellis texture displayed by magnetite in (j). tit: titanite, scp: scapolite.	128
Supplementary Figure B6: Quantitative WDS maps of magnetite grains representative for deep (Mgt-deep: a) and intermediate (Mgt-interm: b) zones of the El Laco ore bodies (breccias).	129
Supplementary Figure B7: Synchrotron single and three-elemental (RGB) μ -XRF and quantitative WDS maps of clinopyroxene grains from drill core samples from Laco Norte (a) and San Vicente Alto (b) ore bodies.	130
Supplementary Figure B8: Backscattered-electron (BSE) images and SEM EDS spectra of scapolite-bearing ore samples from El Laco deposit.	131
Supplementary Figure B9: Backscattered-electron (BSE) images and SEM EDS spectra of oriented fluid inclusions hosted by magnetite from deep levels of the El Laco ore bodies	132
B10. Supplementary Table 1: Sample descriptions and and geographic location of the different volcanic units studied.	133
B11. Analytical conditions for EPMA analyses of pyroxenes and Fe-Ti oxides from El Laco deposit.	133
B12. EPMA data for magnetite from El Laco ore bodies and host andesites.	134
B13. EPMA data of pyroxene from El Laco ore bodies and host andesites.	139
B14. LA-ICP-MS data of magnetite from El Laco ore bodies and host andesites.	146
ANNEX C: Supplementary Material for Chapter 4	150
Supplementary Figure C1: Examples of reconstructed (A) and segmented slices (B) virtually cut through sample LS06A. Grey: magnetite; Blue: open pores; Red: closed pores.	150
Supplementary Figure C2: (A-B) SEM images of magnetite microspheres in vesicular and porous ore samples. Note the euhedral magnetite grains growing inward from the microsphere surface.	150
Supplementary Figure C3: (A-C) Hand-sample ore specimen from Laco Norte ore body showing centimetre-scale well-developed octahedral magnetite associated with abundant spherical structures formed by magnetite.	151