

# Contents

<b>Introduction</b>	<b>1</b>
Secondary metabolites: definition and biosynthetic origins . . . . .	1
Application of secondary metabolites . . . . .	2
Antibiotics: definition, applications and antibiotic resistance . . . . .	3
The need for new antibiotics . . . . .	3
Where to look for new drugs to fight against antibiotic-resistant bacteria? . . . . .	5
General characteristics of the <i>Streptomyces</i> genus and <i>Streptomyces leeuwenhoekii</i> C34 species . . . . .	6
Chaxamycins and chaxalactins as potential antibiotics . . . . .	6
PKS and Polyketides . . . . .	7
Mechanism of biosynthesis of polyketides . . . . .	10
Tools for the identification of biosynthesis gene clusters in bacterial genomes . . . . .	12
Aims and description of thesis . . . . .	13
<b>Objectives</b>	<b>14</b>
General objective . . . . .	14
Specific objectives . . . . .	14
<b>1 Establishment of practical procedures for growth and genetic manipulation of <i>Streptomyces leeuwenhoekii</i> C34</b>	<b>15</b>
1.1 Abstract . . . . .	15
1.2 Introduction . . . . .	16
1.3 Materials and methods . . . . .	17
1.3.1 Strains, plasmids and primers . . . . .	17
1.3.2 Solutions and media recipes . . . . .	17
1.3.3 Culture conditions for <i>S. leeuwenhoekii</i> C34 . . . . .	17
1.3.4 Establishment of chaxamycin production conditions in liquid culture for <i>S. leeuwenhoekii</i> C34 . . . . .	17
1.3.5 Test of antibiotic susceptibility of <i>S. leeuwenhoekii</i> C34 . . . . .	18
1.3.6 Conjugation between <i>E. coli</i> and <i>S. leeuwenhoekii</i> C34 . . . . .	18
1.3.6.1 Optimisation of the conjugation between <i>E. coli</i> ET12567/pUZ8002, carrying pSET152, and <i>S. leeuwenhoekii</i> C34 . . . . .	18
1.3.7 Usage of the temperature-sensitive pGM1190 in <i>S. leeuwenhoekii</i> C34 . . . . .	19
1.3.8 Agar-based chromogenic assay with <i>gusA</i> as reporter gene . . . . .	19
1.3.9 Bioinformatic analysis . . . . .	19
1.3.10 Generation of illustrations . . . . .	19
1.4 Results . . . . .	20

1.4.1	Establishment of growth and sporulation conditions for <i>S. leeuwenhoekii</i> C34 . . . . .	20
1.4.1.1	Selection of temperature and culture medium for fastest growth and sporulation of <i>S. leeuwenhoekii</i> C34 . . . . .	20
1.4.2	Establishment of chaxamycin production conditions for <i>S. leeuwenhoekii</i> C34 . . . . .	22
1.4.3	Evaluation of <i>S. leeuwenhoekii</i> C34 antibiotic susceptibility . . . . .	22
1.4.4	Conjugation between <i>E. coli</i> and <i>S. leeuwenhoekii</i> C34 . . . . .	23
1.4.4.1	Identification of <i>attB</i> sites for actinophages $\Phi$ C31 and $\Phi$ BT1 in the genome of <i>S. leeuwenhoekii</i> C34 . . . . .	23
1.4.4.2	Transfer of pSET152 from <i>E. coli</i> ET12567/pUZ8002 to <i>S. leeuwenhoekii</i> C34 . . . . .	23
1.4.4.3	Effect of MgCl <sub>2</sub> and CaCl <sub>2</sub> on the conjugation frequency . . . . .	24
1.4.5	Evaluation of the usage of the temperature-sensitive vector, pGM1190, in <i>S. leeuwenhoekii</i> C34 . . . . .	26
1.4.6	Assessment of the usage of the <i>ermE*</i> promoter in <i>S. leeuwenhoekii</i> C34 . . . . .	27
1.5	Discussion . . . . .	28
1.5.1	Sporulation and chaxamycin production by <i>S. leeuwenhoekii</i> C34 depend upon temperature . . . . .	28
1.5.2	Genetic background for antibiotic susceptibility of <i>S. leeuwenhoekii</i> C34 . . . . .	29
1.5.3	Presence of divalent chloride salts (MgCl <sub>2</sub> and CaCl <sub>2</sub> ) improved conjugation performance between <i>E. coli</i> ET12567/pUZ8002, carrying pSET152, and <i>S. leeuwenhoekii</i> C34 . . . . .	31
1.5.4	Toolbox of molecular methods for <i>S. leeuwenhoekii</i> C34 . . . . .	33
1.6	Conclusions . . . . .	36
<b>2</b>	<b>Identification and heterologous expression of the chaxamycin biosynthesis gene cluster of <i>Streptomyces leeuwenhoekii</i> C34</b>	<b>37</b>
2.1	Abstract . . . . .	37
2.2	Introduction . . . . .	38
2.3	Materials and methods . . . . .	40
2.3.1	General procedures and strains cultivation . . . . .	40
2.3.1.1	Cultivation of <i>Streptomyces</i> and <i>Escherichia coli</i> strains . . . . .	40
2.3.1.2	Analytical procedures for measurement of chaxamycins A–D . . . . .	40
2.3.2	DNA manipulation and generation of a PAC genomic library of <i>S. leeuwenhoekii</i> C34 . . . . .	40
2.3.2.1	Sequencing of the genome of <i>S. leeuwenhoekii</i> C34 . . . . .	40
2.3.2.2	Genomic library of <i>S. leeuwenhoekii</i> C34 DNA and screening for the chaxamycin biosynthesis gene cluster . . . . .	41
2.3.2.3	PCR amplifications, DNA manipulation and routine sequencing . . . . .	41
2.3.3	Genetic manipulation of <i>E. coli</i> and <i>Streptomyces</i> strains . . . . .	42
2.3.3.1	General procedures for genetic manipulation of <i>E. coli</i> strains . . . . .	42
2.3.3.2	Conjugation between derivatives of <i>E. coli</i> ET12567/pUZ8002 and <i>Streptomyces</i> strains . . . . .	42
2.3.4	Construction of <i>S. leeuwenhoekii</i> strain M1653 for the deletion of AHBA synthase gene ( <i>cxmK</i> ) . . . . .	42

2.3.4.1 Construction of pIJ12851 and failure to generate <i>S. leeuwenhoekii</i> strain M1653 ( $\Delta cxmK::neo$ ) . . . . .	42
2.3.4.2 Construction of pIJ12850 and generation of <i>S. leeuwenhoekii</i> strain M1653 ( $\Delta cxmK::neo$ ) . . . . .	43
2.3.5 Complementation of <i>S. leeuwenhoekii</i> M1653 ( $\Delta cxmK::neo$ ) . . . . .	44
2.3.5.1 Genetic complementation of strain M1653 with pIJ12852 . . . . .	44
2.3.5.2 Chemical complementation of strain M1653 with AHBA . . . . .	45
2.3.6 Bioassays . . . . .	45
2.3.6.1 Agar well diffusion method . . . . .	45
2.3.6.2 Agar diffusion method with paper filter discs . . . . .	46
2.3.7 Bioinformatic analysis . . . . .	46
2.3.8 Generation of illustrations . . . . .	46
2.4 Results . . . . .	47
2.4.1 The genome of <i>S. leeuwenhoekii</i> C34 . . . . .	47
2.4.2 Bioinformatic identification of the chaxamycin biosynthesis gene cluster in the genome of <i>S. leeuwenhoekii</i> C34 . . . . .	47
2.4.3 Analysis of reading frame-shifts in the nucleotide sequence of the chaxamycin biosynthesis gene cluster . . . . .	51
2.4.4 Bioinformatic analysis of the PKS of the chaxamycin biosynthesis gene cluster . . . . .	52
2.4.4.1 Sequence-based assessment of the functionality of domains present in the chaxamycin PKS . . . . .	53
2.4.5 Heterologous expression of the chaxamycin biosynthesis gene cluster in <i>S. coelicolor</i> strain M1152 . . . . .	55
2.4.6 Deletion of AHBA synthase gene ( <i>cxmK</i> ) of <i>S. leeuwenhoekii</i> C34 and chemical complementation . . . . .	58
2.4.7 Assessment of sensitivity of <i>S. leeuwenhoekii</i> C34 and <i>S. coelicolor</i> strains to the presence of chaxamycins . . . . .	59
2.5 Discussion . . . . .	62
2.5.1 Function of the genes present in the chaxamycin biosynthesis gene cluster of <i>S. leeuwenhoekii</i> C34 . . . . .	62
2.5.1.1 Biosynthesis of AHBA . . . . .	63
2.5.1.2 Extension of the polyketide chain by the PKS . . . . .	65
2.5.1.3 Release and cyclisation of the chaxamycin polyketide chain . . . . .	68
2.5.1.4 Biosynthesis of chaxamycin A, C and D . . . . .	68
2.5.1.5 Biosynthesis of chaxamycin B . . . . .	70
2.5.2 Prediction of the stereocontrol applied by KR domains over the chaxamycin polyketide intermediates . . . . .	70
2.5.3 Transcriptional regulation of the chaxamycin biosynthesis gene cluster . . . . .	74
2.5.4 Immunity and export of chaxamycins in <i>S. leeuwenhoekii</i> C34 and <i>S. coelicolor</i> . . . . .	75
2.5.4.1 Export of chaxamycins . . . . .	75
2.5.4.2 Immunity to chaxamycins . . . . .	76
2.5.5 Genetic targets for metabolic engineering of <i>S. leeuwenhoekii</i> C34 towards increasing chaxamycin production . . . . .	77
2.5.5.1 Overview of the metabolic pathways involved in supplying the precursor molecules for chaxamycin biosynthesis . . . . .	78

2.5.5.2 Proposition of genetic modifications of <i>S. leeuwenhoekii</i> C34 oriented to increase chaxamycin production . . . . .	78
2.6 Conclusions . . . . .	81
<b>3 Identification of the putative locus of the chaxalactin biosynthesis gene cluster in the genome of <i>Streptomyces leeuwenhoekii</i> C34</b>	<b>82</b>
3.1 Abstract . . . . .	82
3.2 Introduction . . . . .	83
3.3 Materials and methods . . . . .	84
3.3.1 Sequencing of the genome of <i>S. leeuwenhoekii</i> C34 . . . . .	84
3.3.2 Bioinformatic analysis . . . . .	84
3.3.2.1 RPS-BLAST for finding PKS domains . . . . .	84
3.3.3 Generation of illustrations . . . . .	85
3.4 Results . . . . .	86
3.4.1 Bioinformatic identification of the chaxalactin biosynthesis gene cluster in the genome of <i>S. leeuwenhoekii</i> C34 . . . . .	86
3.4.2 Bioinformatic analysis of the PKS of the chaxalactin biosynthesis gene cluster . . . . .	89
3.4.2.1 Analysis of a reading frame-shift in the chaxalactin PKS . . . . .	89
3.4.2.2 Sequence-based assessment of the functionality of the domains present in the chaxalactin PKS . . . . .	90
3.5 Discussion . . . . .	93
3.5.1 Function of the genes present in the chaxalactin biosynthesis gene cluster of <i>S. leeuwenhoekii</i> C34 . . . . .	93
3.5.1.1 Chaxalactin A is the unique product of the extension of the chaxalactin polyketide chain by the PKS . . . . .	93
3.5.1.2 Tailoring reactions are involved in the biosynthesis of chaxalactin B and chaxalactin C . . . . .	94
3.5.2 Genes that might encode for transporters involved in the export of chaxalactins in <i>S. leeuwenhoekii</i> C34 . . . . .	97
3.5.3 Metabolic engineering strategies for increased chaxalactin production by <i>S. leeuwenhoekii</i> C34 . . . . .	98
3.6 Conclusions . . . . .	99
<b>4 Wrapping-up: general conclusions and perspectives of this thesis</b>	<b>100</b>
<b>Bibliography</b>	<b>105</b>
<b>Appendices</b>	<b>123</b>
<b>A List of strains</b>	<b>123</b>
<b>B List of plasmids</b>	<b>125</b>
<b>C List of primers</b>	<b>127</b>
<b>D Maps of vectors and constructions</b>	<b>128</b>

<b>E Media, solutions and buffers recipes</b>	<b>140</b>
E.1 Agar media recipes . . . . .	140
DNA medium . . . . .	140
ISP2 agar medium . . . . .	140
LA medium . . . . .	140
SFM agar medium . . . . .	141
R2-S medium . . . . .	141
E.2 Liquid media recipes . . . . .	142
2xYT medium . . . . .	142
ISP2 medium . . . . .	142
LB medium . . . . .	142
Modified ISP2 medium . . . . .	142
R3 medium . . . . .	142
SOB and SOC media . . . . .	143
TSB medium . . . . .	143
YEME medium . . . . .	143
E.3 Solution recipes for microbiology . . . . .	143
E.3.1 Antibiotic solutions . . . . .	143
Aramycin solution . . . . .	143
Carbenicillin solution . . . . .	143
Chloramphenicol solution . . . . .	144
Kanamycin solution . . . . .	144
Hygromycin B solution . . . . .	144
Nalidixic acid solution . . . . .	144
Thiostrepton solution . . . . .	144
E.3.2 Other solutions . . . . .	144
IPTG solution . . . . .	144
Lysozyme solution . . . . .	144
X-Gal solution . . . . .	144
E.4 Buffer and solution recipes . . . . .	144
List of solution stocks . . . . .	144
N3 buffer . . . . .	145
Normal saline solution . . . . .	145
P1 buffer . . . . .	145
P1 buffer . . . . .	145
SET buffer . . . . .	145
STET buffer . . . . .	145
Trace elements solution . . . . .	146
Tris-EDTA buffer . . . . .	146
<b>F Protocols used in this work</b>	<b>147</b>
F.1 Extraction of plasmid, PAC and genomic DNA . . . . .	147
F.1.1 Boiling extraction of plasmid DNA (on small scale) . . . . .	147
F.1.2 PAC DNA extraction protocol . . . . .	147
F.1.3 Isolation of <i>Streptomyces</i> genomic DNA . . . . .	148
F.2 Preparation of competent cells and transformation of <i>E. coli</i> . . . . .	149
F.2.1 <i>E. coli</i> calcium chloride competent cells protocol . . . . .	149

F.2.2	<i>E. coli</i> electrocompetent cells protocol . . . . .	149
F.2.3	Chemical transformation of <i>E. coli</i> . . . . .	150
F.2.4	Transformation of <i>E. coli</i> by electroporation . . . . .	150
F.3	General procedures for cultivation and genetic manipulation of <i>Streptomyces</i> strains . . . . .	150
F.3.1	Spore stock preparation . . . . .	150
F.3.2	Preparation of seed cultures of <i>Streptomyces</i> strains . . . . .	151
F.3.3	Conjugation between <i>E. coli</i> ET12567 strains and <i>S. leeuwenhoekii</i> C34 . . . . .	152
F.3.4	Transference of PAC DNA from <i>E. coli</i> ET12567 into <i>S. coelicolor</i> (Tri-parental mating) . . . . .	152
F.4	Bioassays against <i>Bacillus subtilis</i> and <i>Micrococcus luteus</i> . . . . .	153
F.5	Measurement of chaxamycins in liquid cultures of <i>S. leeuwenhoekii</i> C34 and <i>S. coelicolor</i> M1650 . . . . .	154
<b>G</b>	<b>Supplementary information of Chapter One: Establishment of practical procedures for growth and genetic manipulation of <i>Streptomyces leeuwenhoekii</i> C34</b>	<b>155</b>
<b>H</b>	<b>Supplementary information of Chapter Two: Identification and heterologous expression of the chaxamycin biosynthesis gene cluster of <i>Streptomyces leeuwenhoekii</i> C34</b>	<b>169</b>
<b>I</b>	<b>Supplementary information of Chapter Three: Identification of the putative locus of the chaxalactin biosynthesis gene cluster in the genome of <i>Streptomyces leeuwenhoekii</i> C34</b>	<b>193</b>
I.1	Instructions for setting up RPS-BLAST analysis of proteins of <i>S. leeuwenhoekii</i> C34 . . . . .	194
<b>J</b>	<b>Research article <i>in extenso</i>: “Identification and heterologous expression of the chaxamycin biosynthesis gene cluster of <i>Streptomyces leeuwenhoekii</i>”</b>	<b>214</b>
<b>K</b>	<b>Research article <i>in extenso</i>: “The <i>Streptomyces leeuwenhoekii</i> genome: <i>de novo</i> sequencing and assembly in single contigs of the chromosome, circular plasmid pSLE1 and linear plasmid pSLE2”</b>	<b>227</b>
<b>Nomenclature</b>		<b>239</b>
<b>Abbreviations</b>		<b>242</b>