

# **TABLE OF CONTENT**

---

INTRODUCTION .....	1
1.1. Objectives .....	2
1.1.1. General Objective .....	2
1.1.2. Specific Objectives .....	2
1.1.3. Hypothesis .....	3
1.1.3.1. Hypothesis 1 .....	3
1.1.3.2. Hypothesis 2 .....	3
1.2. Justification of the R&D .....	3
1.3. Scope of Work .....	4
1.3.1. Introduction .....	4
1.3.2. Chapters Overview .....	4
1.4. Chapter Summary .....	6
LITERATURE REVIEW: OPEN PIT ROCK SLOPES STABILITY AND DEFORMATION MONITORING .....	7
2.1. Open Pit Slope Design and Stability .....	7
2.2. Importance of Geotechnical Instrumentation .....	11
2.3. Geotechnical Instrumentation for Civil Engineering Applications .....	12
2.3.1. Groundwater Pressure Monitoring Devices .....	12
2.3.2. Soil or Rock Mass Deformation Monitoring Devices .....	13
2.3.3. Load and Strain in Structural Members Monitoring Devices .....	15
2.3.4. Total Stress Monitoring Devices .....	16
2.3.5. Guidelines for Geotechnical Instrumentation .....	16
2.3.6. Monitoring Applications .....	17
2.4. Open Pit Mines Geotechnical Instrumentation & Monitoring .....	18
2.4.1. Groundwater Monitoring .....	19
2.4.2. Movement Monitoring .....	19
2.4.2.1. Surface Deformations .....	20
2.4.2.2. Subsurface deformation .....	23
2.4.3. Currently Available Subsurface Deformation Sensing Instruments' Limitations for Open Pit Mining Applications .....	25

2.4.4.	Guidelines for Open Pit Instrumentation and Monitoring .....	26
2.4.5.	Open Pit Deformation Monitoring Applications .....	27
2.5.	Open Pit Geomechanics and Mine Planning Integration.....	28
2.6.	Conclusions of the Literature Review .....	29
IMPLEMENTATION OF A NOVEL SUBSURFACE DEFORMATION SENSING TECHNOLOGY – NETWORKED SMART MARKERS CASE STUDY .....		31
3.1.	The Networked Smart Markers System .....	31
3.2.	Trial Site Description .....	32
3.3.	First NSM Open Pit Trial .....	34
3.3.1.	Laboratory Testing and System Preparation .....	34
3.3.2.	Installation of the System.....	35
3.4.	Operation of the System .....	36
3.4.1.	Improvements to the NSM System.....	39
3.5.	Second NSM Open Pit Trial .....	41
3.5.1.	System Installation Procedure .....	42
3.6.	Recommendations to Improve the System .....	43
3.6.1.	System’s Current Development .....	43
3.6.2.	System’s Future Developments .....	44
3.7.	Chapter Summary .....	44
MINE PLAN .....		45
4.1.	DeepMine.....	45
4.2.	Definition of the Mine Plan and Phases using DeepMine .....	46
4.2.1.	Block Model Characteristics.....	47
4.2.2.	GeoModel Definition .....	47
4.2.3.	Mining Environment Definition.....	48
4.2.4.	Pit Collection Definition.....	51
4.2.5.	Economic Environment Definition.....	52
4.2.6.	Mine Plan Settings .....	52
4.2.7.	Resulting Mine Plan.....	55
4.2.8.	Resulting Phases .....	58
4.3.	Pushbacks Design .....	58
4.4.	Chapter Summary .....	59

DESIGN OF A SLOPE DEFORMATION MONITORING CAMPAIGN PRIOR TO MINE CONSTRUCTION .....	61
5.1. Monitoring Campaign Design .....	61
5.1.1. Aspects to Be Assessed .....	62
5.1.2. Parameter to Be Measured.....	63
5.1.3. Remedial Measurements.....	63
5.1.4. Critical Sectors Selection .....	63
5.1.5. Shallow Angle Boreholes Instrumentation Campaigns.....	65
5.1.5.1. Phase V1 Monitoring – Shallow Angle Boreholes’ Layout ....	66
5.1.5.2. Phase V4 Monitoring – Shallow Angle Boreholes’ Layout ....	68
5.1.5.3. Phase V8 Monitoring – Shallow Angle Boreholes’ Layout ....	69
5.1.5.4. Phase V9 Monitoring – Shallow Angle Boreholes’ Layout ....	70
5.1.5.5. Shallow Angle Boreholes’ Drilling Campaign Summary .....	72
5.1.5.6. In-Place Inclinometers (IPIs) Shallow Angle Boreholes Installation.....	72
5.1.5.7. In-Place Inclinometers’ (IPIs) Shallow Angle Boreholes Campaign Costs .....	73
5.1.5.8. Networked Smart Markers Shallow Angle Boreholes Installation.....	74
5.1.5.9. NSM’s Shallow Angle Boreholes Campaign Costs.....	75
5.1.6. Steep Angle Boreholes Instrumentation Campaign .....	76
5.1.6.1. Phase V1 Monitoring – Steep Angle Boreholes’ Layout.....	76
5.1.6.2. Phase V4 Monitoring – Steep Angle Boreholes’ Layout.....	77
5.1.6.3. Phase V8 Monitoring – Steep Angle Boreholes’ Layout.....	79
5.1.6.4. Phase V9 Monitoring – Steep Angle Boreholes’ Layout.....	80
5.1.6.5. Steep Angle Boreholes Drilling Campaign Summary .....	81
5.1.6.6. In-Place Inclinometers Steep Angle Boreholes Campaign Installation.....	82
5.1.6.7. In-Place Inclinometer’s Steep Angle Boreholes Campaign Instrumentation Costs .....	82
5.1.6.8. ShapeAccelArrays Steep Angle Boreholes Campaign Installation.....	83
5.1.6.9. ShapeAccelArray’s Steep Angle Boreholes Campaign Costs	85

5.1.6.10. Networked Smart Markers Steep Angle Boreholes Campaign Installation .....	85
5.1.6.11. NSM’s Steep Angle Boreholes Campaign Costs.....	86
5.2. Alternatives Comparison .....	87
5.3. Potential Economic Gain .....	88
5.3.1. General .....	88
5.3.2. Analysis without Instrumentation Expenses.....	89
5.3.3. Analysis Considering Instrumentation Expenses.....	91
5.3.3.1. Shallow Angle Boreholes Instrumentation Campaign .....	91
5.3.3.2. Steep Angle Boreholes Instrumentation Campaign .....	92
5.3.4. Conclusions of the Economical Assessment .....	94
5.4. Recommendations.....	94
5.5. Chapter Summary .....	94
GENERAL DISCUSSION .....	96
6.1. Relevance of the Mine Plan .....	96
6.2. Networked Smart Marker System Validation .....	96
6.3. Monitoring Campaigns .....	97
6.3.1. Campaigns Configuration.....	97
6.3.2. Subsurface Deformation Detection at Great Depths.....	97
6.3.3. Campaigns Comparison .....	98
6.3.4. Economic Analysis .....	99
CONCLUSIONS AND RECOMMENDATIONS .....	101
7.1. General Conclusions .....	101
7.2. Recommendations.....	103
BIBLIOGRAPHY .....	104
APPENDICES .....	112
APPENDIX A : Diaphragm Piezometers and Rock Mass Deformation Sensing Technologies Characteristics.....	112
APPENDIX B : DeepMine Elements Description.....	116
APPENDIX C : Yearly Copper Cut-Off Grades for the Leaching and Concentrator Plants.....	120
APPENDIX D : Processing Plants Yearly Operation .....	120

APPENDIX E : Phases Geometry for the Theoretical Mine Obtained Using the Software DeepMine (Volumes).....	122
APPENDIX F : Phases Geometry for the Theoretical Mine Relaxed Using Vulcan (Volumes).....	124
APPENDIX G : Phases Geometry for the Theoretical Mine Relaxed Using Vulcan (Topography) .....	126
APPENDIX H : In-Place Inclinometers (IPIs) Shallow Angle Boreholes Campaign Costs Calculation .....	128
APPENDIX I : Quantity of Networked Smart Markers (NSMs) in Each Phase for a Shallow Angle Boreholes Campaign .....	131
APPENDIX J : Networked Smart Markers (NSMs) Shallow Angle Boreholes Campaign Costs Calculation .....	132
APPENDIX K : In-Place Inclinometers (IPIs) Steep Angle Boreholes Campaign Costs Calculation .....	137
APPENDIX L : Quantity of MEMS Sensors per Borehole Instrumented Using ShapeAccelArrays (SAAs).....	141
APPENDIX M : ShapeAccelArrays (SAAs) Steep Angle Boreholes Monitoring Campaign Costs Calculation .....	141
APPENDIX N : Quantity of Networked Smart Markers (NSMs) in Each Phase for a Steep Angle Boreholes Campaign .....	144
APPENDIX O : Networked Smart Markers (NSMs) Steep Angle Boreholes Campaign Costs Calculation .....	146
APPENDIX P : Implementation of Novel Subsurface Deformation Sensing Device for Open Pit Slope Stability Monitoring - The Networked Smart Markers (NSMs) System .....	152
APPENDIX Q : Understanding of Rock Mass Behaviour through the Development of an Integrated Sensing Platform .....	167

# ***LIST OF FIGURES***

---

Figure 1: Open Pit Mine Slope’s Configuration (Kliche, 2011) .....	8
Figure 2: Hoek’s (1970) Slope Angel v/s Slope Height (Lorig et al., 2009) ...	9
Figure 3: Haines and Terbrugge’s (1991) Slope Angel v/s Slope Height Chart (Lorig et al., 2009) .....	9
Figure 4: Networked Smart Marker .....	31
Figure 5: NSM System’s Antenna.....	31
Figure 6: Reader Station .....	32
Figure 7: Monitoring Campaign Sketch .....	33
Figure 8: First NSM Installation Diagram .....	36
Figure 9: Second NSM Installation Diagram .....	41
Figure 10: Leaching Plant Unsatisfactory Operation.....	50
Figure 11: Pit Shells Views – Plant (Left), East-West (Right Top), North-South (Right Bottom) .....	51
Figure 12: Ramps Setup (modified after Hustrulid et al., 2013) .....	53
Figure 13: Loading Area Setup .....	55
Figure 14: Mine Operation .....	57
Figure 15: Final Cash Flow.....	57
Figure 16: Boreholes’ Layout.....	65
Figure 17: Boreholes’ Layout in Plan View (a) – Boreholes’ Layout Looking North (b) – Shallow Angle Boreholes Campaign Phase V1 .....	67
Figure 18: Boreholes’ Layout in Plan View – Shallow Angle Boreholes Campaign Phase V4 .....	68
Figure 19: Boreholes’ Layout Looking North – Shallow Angle Boreholes Campaign Phase V4 .....	68
Figure 20: Boreholes’ Layout in Plan View – Shallow Angle Boreholes Campaign Phase V8 .....	69
Figure 21: Boreholes’ Layout Looking South – Shallow Angle Boreholes Campaign Phase V8 .....	69
Figure 22: Boreholes’ Layout Looking South – Shallow Angle Boreholes Campaign Phase V9 .....	70
Figure 23: Boreholes’ Layout – Shallow Angle Boreholes Campaign Phase V9 .....	71

Figure 24: Boreholes' Layout Plan View (Left) – Boreholes' Layout Looking North (Right) – Steep Angle Boreholes Campaign Phase V1 .....	77
Figure 25: Boreholes' Layout Plan View (Left) – Boreholes' Layout Looking North (Right) – Steep Angle Boreholes Campaign Phase V4 .....	78
Figure 26: Boreholes' Layout Looking South – Steep Angle Boreholes Campaign Phase V8 .....	79
Figure 27: Boreholes' Layout Plan View – Steep Angle Boreholes Campaign Phase V8 .....	79
Figure 28: Boreholes' Layout Plant View – Steep Angle Boreholes Campaign Phase V9 .....	80
Figure 29: Boreholes' Layout Looking South – Steep Angle Boreholes Campaign Phase V9 .....	81
Figure 30: Project's NPV Evolution as Slope Angle Increases .....	89
Figure 31: Total Waste Extraction .....	90
Figure 32: Total Metal (Cu) Production .....	90
Figure 33: Project's NPV Evolution as Slope Angle Increases – Shallow Angle Boreholes .....	92
Figure 34: Project's NPV Evolution as Slope Angle Increases – Steep Angle Boreholes .....	93
Figure. D.1: Leaching Plant Yearly Operation .....	121
Figure. D.2: Concentrator Plant Yearly Operation.....	121
Figure. E.1: DeepMine Phases 01 to 04 .....	122
Figure. E.2: DeepMine Phases 05 to 08 .....	122
Figure. E.3: DeepMine Phases 09 to 12 .....	122
Figure. E.4: DeepMine Phases 13 to 16 .....	123
Figure. E.5: DeepMine Phases 17 to 20 .....	123
Figure. E.6: DeepMine Phases 21 to 24 .....	123
Figure. E.7: DeepMine Phases 25 to 28 .....	123
Figure. E.8: DeepMine Phase 29 .....	124
Figure. F.1: Vulcan Phases.....	124
Figure. F.2: Vulcan Phases V1 to V4.....	124
Figure. F.3: Vulcan Phases V5 to V8.....	125
Figure. F.4: Vulcan Phases V9 to V12.....	125
Figure. G.1: Open Pit Phases V1 to V7 Geometry.....	126

Figure. G.2: Open Pit Phases V8 to V12 Geometry .....	127
Figure. P.1: Networked Smart Marker .....	155
Figure. P.2: First NSM installation diagram .....	158
Figure. P.3: NSM’s connectivity .....	158
Figure. P.4: Both ways signal strength .....	159
Figure. Q.1: Crown pillar defined at Palabora mine (after Glazer and Hepworth, 2004) .....	170
Figure. Q.2: Seismic monitoring at the site (after Glazer and Hepworth, 2004) .....	171
Figure. Q.3: Plan view of Los Bronces-Andina interaction area (after Google Maps, 2015) .....	171
Figure. Q.4: Summary of surface and underground geotechnical monitoring methods.....	172
Figure. Q.5: Smart Marker sensor.....	180
Figure. Q.6: Networked Smart Markers 3D data representation of six weeks .....	180
Figure. Q.7: Networked Smart Markers 2D data representation of six weeks .....	181
Figure. Q.8: Enhanced Networked Smart Markers performing as subsurface monitoring and later as cave trackers combined with conventional cave trackers in an open pit-underground interaction scenario.....	184



## ***LIST OF TABLES***

---

Table 1: NSM’s Connectivity.....	37
Table 2: Both Ways Signal Strength.....	38
Table 3: Troubleshooting Summary .....	39
Table 4: System Improvements .....	40
Table 5: Orebody’s Rock Type Distribution.....	47
Table 6: GeoModel Definition Summary.....	47
Table 7: Operational Costs and Capacities Summary.....	49
Table 8: Adjustment Factors Summary.....	50
Table 9: Economic Environment Definition Summary .....	52
Table 10: Mine Plan Settings.....	52
Table 11: Truck’s Fleet Estimation .....	53
Table 12: Ramps Dimensions .....	54
Table 13: Loading Area Dimensions .....	54
Table 14: DeepMine Phases Scheduling .....	56
Table 15: Redefined Phases Scheduling.....	59
Table 16: Boreholes’ Characteristics – Shallow Angle Boreholes Campaign Phase V1 .....	67
Table 17: Boreholes’ Characteristics – Shallow Angle Boreholes Campaign Phase V4 .....	69
Table 18: Boreholes’ Characteristics – Shallow Angle Boreholes Campaign Phase V8 .....	70
Table 19: Boreholes’ Characteristics – Shallow Angle Boreholes Campaign Phase V9 .....	71
Table 20: Shallow Angle Boreholes Campaign Drilling Summary .....	72
Table 21: Monitoring Time Span – IPI’s Shallow Angle Boreholes Campaign.....	73
Table 22: IPI Strings and Sensors Required in a Shallow Angle Boreholes Campaign.....	73
Table 23: In-Place Inclinometer’s Shallow Angle Boreholes Campaign Instrumentation Costs.....	74
Table 24: Monitoring Time Span – NSM’s Shallow Angle Boreholes Campaign .....	75

Table 25: Quantity of NSM Required in a Shallow Angle Boreholes Campaign .....	75
Table 26: Smart Marker’s Shallow Angle Boreholes Campaign Instrumentation Costs .....	76
Table 27: Boreholes’ Characteristics – Steep Angle Boreholes Campaign Phase V1 .....	77
Table 28: Boreholes’ Characteristics – Steep Angle Boreholes Campaign Phase V4 .....	78
Table 29: Boreholes’ Characteristics – Steep Angle Boreholes Campaign Phase V8 .....	80
Table 30: Boreholes’ Characteristics – Steep Angle Boreholes Campaign Phase V9 .....	81
Table 31: Steep Angle Boreholes Drilling Campaign Summary .....	82
Table 32: Monitoring Time Span – IPI’s and SAA’s Steep Angle Boreholes Campaign .....	82
Table 33: In-Place Inclinator’s Steep Angle Boreholes Campaign Instrumentation Costs .....	83
Table 34: SAA length and Quantity per Phase to be monitored .....	84
Table 35: ShapeAccelArray’s Steep Angle Boreholes Campaign Instrumentation Costs .....	85
Table 36: Quantity of NSM Required in a Steep Angle Boreholes Campaign	86
Table 37: Networked Smart Marker’s Steep Angle Boreholes Campaign Instrumentation Costs .....	86
Table 38: Monitoring Campaigns Comparison .....	87
Table 39: Shallow Angle Boreholes Instrumentation Campaign Costs over Time .....	91
Table 40: Steep Angle Boreholes Instrumentation Campaign Costs over Time .....	93
Table. A.1: Diaphragm Piezometers Characteristics .....	112
Table. A.2: Soil or Rock Mass Deformation Monitoring Devices .....	112
Table. A.3: Open Pit Subsurface Deformation Monitoring Devices .....	115
Table. C.1: Yearly Cut-off Grade .....	120
Table. H.1: In-Place Inclinator’s Shallow Angle Boreholes Campaign Layout Data .....	128
Table. H.2: In-Place Inclinator’s Costs .....	129

Table. H.3: In-Place Inclinator Shallow Angle Boreholes Campaign Costs .....	129
Table. H.4: In-Place Inclinator Shallow Angle Boreholes Campaign and Drilling Costs .....	130
Table. I.1: Quantity of NSMs per Borehole – Phase V1 Shallow Angle Boreholes Campaign .....	131
Table. I.2: Quantity of NSMs per Borehole – Phase V4 Shallow Angle Boreholes Campaign .....	131
Table. I.3: Quantity of NSMs per Borehole – Phase V8 Shallow Angle Boreholes Campaign .....	131
Table. I.4: Quantity of NSMs per Borehole – Phase V9 Shallow Angle Boreholes Campaign .....	132
Table. J.1: Networked Smart Markers Shallow Angle Boreholes Campaign Layout Data .....	132
Table. J.2: Networked Smart Markers Costs .....	133
Table. J.3: Networked Smart Markers 2-meter Spacing Shallow Angle Boreholes Campaign Costs.....	134
Table. J.4: Networked Smart Markers 4-meter Spacing Shallow Angle Boreholes Campaign Costs.....	136
Table. J.5: Networked Smart Markers 2 and 4-meter Spacing Shallow Angle Boreholes Campaign and Drilling Costs.....	137
Table. K.1: In-Place Inclinator Steep Angle Boreholes Campaign Layout Data .....	138
Table. K.2: In-Place Inclinator’s Costs.....	139
Table. K.3: In-Place Inclinator Steep Angle Boreholes Campaign Costs	139
Table. K.4: In-Place Inclinator Steep Angle Boreholes Campaign and Drilling Costs .....	140
Table. L.1: Quantity of ShapeAccelArray Measuring Points per Borehole ...	141
Table. M.1: ShapeAccelArray Steep Angle Boreholes Campaign Layout Data .....	142
Table. M.2: ShapeAccelArray’s Costs.....	143
Table. M.3: ShapeAccelArray Steep Angle Boreholes Campaign Costs .....	143
Table. M.4: ShapeAccelArray Steep Angle Boreholes Campaign and Drilling Costs .....	144
Table. N.1: Quantity of NSMs per Borehole – Phase V1 Steep Angle Boreholes Campaign .....	144

Table. N.2: Quantity of NSMs per Borehole – Phase V4 Steep Angle Boreholes Campaign .....	144
Table. N.3: Quantity of NSMs per Borehole – Phase V8 Steep Angle Boreholes Campaign .....	145
Table. N.4: Quantity of NSMs per Borehole – Phase V9 Steep Angle Boreholes Campaign .....	145
Table. O.1: Networked Smart Markers Steep Angle Boreholes Campaign Layout Data .....	146
Table. O.2: Networked Smart Markers Costs .....	147
Table. O.3: Networked Smart Markers 2-meter Spacing Steep Angle Boreholes Campaign Costs .....	148
Table. O.4: Networked Smart Markers 4-meter Spacing Steep Angle Boreholes Campaign Costs .....	149
Table. O.5: Networked Smart Markers 2 and 4-meter Spacing Steep Angle Boreholes Campaign and Drilling Costs.....	151
Table. P.1: Troubleshooting summary .....	160
Table. P.2: System improvements .....	161
Table. Q.1: Description of technologies for space-based monitoring .....	174
Table. Q.2: Description of technologies for airborne monitoring .....	175
Table. Q.3: Description of technologies for ground-based monitoring .....	176
Table. Q.4: Technologies applied in the mining industry for underground monitoring.....	178