Contents

Introduction					
1	Ana	lysis of the mouse iMM1415 genome-scale model	8		
	1.1	Abstract	8		
	1.2	Introduction	9		
	1.3				
		1.3.1 Topological Analysis	10		
		· · ·	10		
		1.3.3 Knockout analysis	11		
			11		
		1.3.5 Sampling	11		
	1.4	Results and Discussion	12		
	1.7		12		
			14		
		1.4.3 Flux Balance Analysis and sampling	15		
	1.5	Conclusions	18		
	1.6	Supplementary Material			
	1.0	''			
		1.6.1 Supplementary files	ıc		
2	Con	nparative study on strategies for generation of a CHO GSM	20		
	2.1	Abstract	20		
	2.2	Introduction			
	2.3	Materials and methods			
		2.3.1 ModelSEED			
		2.3.2 Pathway tools			
		2.3.3 Pantograph			
		2.3.4 Constrained-based flux analysis			
	2.4	Results and Discussion			
	∠.⊤	2.4.1 Obtained draft genome-scale models			
		2.4.2 Gene Analysis			
		2.4.3 Network analysis			
	2.5	Conclusions			
	2.6	Supplementary material			
	2.0	2.6.1 Supplementary files	30		

CONTENTS CONTENTS

31
 . 31
 . 31
 . 33
 . 33
 . 34
 . 34
 . 35
 . 37
 . 38
 . 42
 . 45
 . 46
 . 46
47
 . 53
 . 54
 . 54 . 57
 . 54
 . 54 . 57

List of Figures

1 2	Flux Balance Analysis (FBA)	3 4
1.1 1.2 1.3 1.4	Node-degree distribution for the mouse genome-scale model iMM1415 Compartment distribution of dead end metabolites	12 13 15
2.1	Generation of three CHO genome-scale draft models using Pantograph, modelSeed and Pathway Tools	23
2.2	Comparison between included genes for the CHO-Pantograph and CHO-Pathway Tools metabolic reconstructions	28
3.1 3.2	Proposed strategy for generation of a CHO genome-scale model Distribution of included CHO genes using an Hybridoma model, iMM1415 and	33
3.3 3.4 3.5	Recon 1 as template for generation of a CHO draft genome-scale model Classification of metabolic reactions in CHO genome-scale models Prediction of cell growth by Flux Balance Analysis (FBA) Validation of a genome-scale model for CHO cells. Predicted cell growth on lactose as carbon source is due to the presence of reaction LACZe that allows conversion of lactose to galactose and glucose, carbon sources that are able to support cellular	36 36 37
3.6	metabolism	40 44
4.1 4.2	Proposed strategy for integration of transcriptomic data into the CHO iNJ1301 model Selection of subsystems is based of number of reactions with non-zero flux	49
4.3	according to iMAT predictions	52
4.4	Probability flux distribution obtained for key reactions associated with improved	54
4.5	productivity	55 57

List of Tables

1 2 3	Biopharmaceutical products approved by FDA	
1.1 1.2 1.3	Highly connected metabolites in the iMM1415 mouse model Lethal gene deletions according to the iMM1415 metabolic model	13 14 16
2.1 2.2 2.3 2.4	Constructed genome-scale models using modelSeed Ortholog group statistics for CHO- <i>Mus musculus</i> and CHO- <i>Homo sapiens</i> search . Obtained genome-scale models using modelSeed, pantograph and Pathway tools . Summary of the obtained CHO draft reconstructions	25 26 27 29
3.1 3.2 3.3 3.4 3.5 3.6	Obtained CHO draft genome-scale models Experimental evidence of CHO cell growth behaviour under different media conditions and gene knockouts. Additional restrictions for simulation of CHO metabolism using the iNJ1301 model. Additional restrictions for simulation of metabolic shift using the iNJ1301 model. Added reactions from initial gap filling to obtain a functional CHO-HT1-MT2 model. Gap filling for the CHO model iNJ1301	35 41 43 46 46
4.1	Extracellular constraints for the CHO low and high producer model based on experimental data	51