

Contents

Notations	2
General Introduction	4
1 Preliminaries	18
1.1 Spaces of functions	20
1.2 Measures of noncompactness	24
1.3 Set-valued maps	24
1.4 The Hausdorff distance	26
1.5 Some useful lemmas	27
1.6 Some elements of measure theory	30
1.7 Some classes of sets	32
1.7.1 Uniformly prox-regular sets	32
1.7.2 Uniformly subsmooth sets	33
2 Positively α-far sets	34
2.1 Relation with other classes	40
2.2 Preservation of positively α -far sets	42
2.2.1 Union of positively α -far sets	42
2.2.2 Intersection of positively α -far sets	43
2.2.3 Inverse images of positively α -far sets	44
3 Galerkin-Like method and applications	52
3.1 Technical assumptions	53
3.2 Preliminary results	55
3.3 Galerkin-like method	56
3.4 A Generalized Perturbed Sweeping Process	60
3.5 Perturbed state-dependent sweeping process	66
3.6 The perturbed sweeping process	69
3.7 Perturbed second-order sweeping process	72
3.8 The necessity of the compactness assumptions	74
4 A Variant of the Perturbed State-Dependent Sweeping Process	76
4.1 Technical assumptions	78
4.2 Existence result	79
4.3 Complementarity Dynamical Systems	82

4.4	A control system describing hysteresis effects	85
5	Moreau-Yosida regularization of state-dependent sweeping process	92
5.1	Technical Assumptions	93
5.2	Preliminary lemmas	95
5.3	The concept of Solution	99
5.4	Existence through Moreau-Yosida regularization	100
5.5	The Case of the sweeping process	106
5.5.1	The Finite-Dimensional Case	107
5.6	An Application to Hysteresis	107
6	Regularization of perturbed state-dependent sweeping processes with nonregular sets	110
6.1	Technical assumptions	111
6.2	Preparatory lemmas	114
6.3	An existence result for the perturbed state-dependent sweeping process	116
6.4	Sweeping process and Subdifferentially Perturbed Sweeping Process .	122
6.4.1	The case of the sweeping process	122
6.4.2	Subdifferentially state-dependent perturbed sweeping process .	123
7	Perturbed Sweeping Processes with Nonlocal Initial Conditions	126
7.1	Technical Assumptions	128
7.2	Perturbed Sweeping Process with Nonlocal Initial Conditions	130
7.3	The Case H is Compactly Embedded in a Banach Space E	141
7.4	Tangential conditions	146
7.5	An application to nonlocal differential complementarity systems . . .	148
7.6	An application to Hysteresis	149
8	Existence and Lyapunov pairs for the perturbed sweeping process governed by a fixed set	152
8.1	The Catching-up Algorithm	154
8.2	Lyapunov Pairs and Invariance	156
8.2.1	Weak invariance	160
8.3	Applications	161
8.3.1	Hysteresis	161
8.3.2	Crowd motion	161
9	Lyapunov pairs for Perturbed Sweeping Processes	164
9.1	Lyapunov pairs and invariance	166
9.1.1	Weak invariance	171
9.2	An application to gradient complementarity dynamical systems . . .	171
	Conclusions and Perspectives	174
	Bibliography	178

List of Figures

2.1	ρ -tube around S	35
2.2	$S = \{(x, y) \in \mathbb{R}^2 : y \geq - x \}$	37
2.3	Geometrical interpretation of Lemma 2.7.	39
2.4	The union of two convex sets is not positively α -far.	43
3.1	Set S in Example 3.1.	72
4.1	Functions f_* and f^*	88
4.2	Numerical simulations with $c(w, v) = 1$ and $(v_0, w_0) = (-0.7, -0.8)$	89
4.3	Numerical simulations with $c(w, v) = 0.2$ and $(v_0, w_0) = (-1.8, -1.0)$	89
4.4	Numerical simulations for $c(w, v) = 0.2$, $h_1(w, v) = \sin((v - [v])\pi)$ and $h_2(w, v) = v - w$	90
4.5	Numerical simulations for $h_1(w, v) = v$ and $h_2(w, v) = v - w$	90
8.1	Disks, respectively, for $d = \ \cdot\ _1$, $d = \ \cdot\ _2$ and $d = \ \cdot\ _\infty$	162
9.1	A circuit with an ideal diode, an inductor and a current source.	173