

# Table of Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Active Galactic Nuclei . . . . .	1
1.2	AGN Diversity . . . . .	3
1.3	Black Hole Masses . . . . .	3
1.4	This Thesis . . . . .	6
<b>2</b>	<b>Single epoch super massive black hole masses estimations: recalibration and analysis</b>	<b>8</b>
2.1	Introduction . . . . .	8
2.2	Sample, Data and Analysis . . . . .	13
2.3	Spectral Decomposition . . . . .	16
2.3.1	Continuum Emission . . . . .	16
2.3.2	Blended iron lines . . . . .	19
2.3.3	Emission Line Measurements . . . . .	19
2.4	Results and Discussion . . . . .	21
2.4.1	Local versus global continuum measurements . . . . .	21
2.4.2	Luminosity Correlations . . . . .	27
2.4.3	Line widths and line offsets . . . . .	31
2.4.4	Black Hole Mass estimators . . . . .	35
2.4.5	The C IV line as a Black Hole mass estimator . . . . .	40

<b>3</b>	<b>Can we improve C iv-based single epoch supermassive black hole mass estimations?</b>	<b>44</b>
3.1	Introduction . . . . .	44
3.2	Samples, Data and Analysis . . . . .	47
3.2.1	Large Samples . . . . .	49
3.2.2	Small Samples . . . . .	49
3.2.3	Line and continuum measurements . . . . .	50
3.3	Results . . . . .	53
3.3.1	SDSS DR7Q and DR12Q samples . . . . .	53
3.3.2	Small Samples . . . . .	57
3.3.3	Resampling tests . . . . .	59
3.4	Discussion . . . . .	60
<b>4</b>	<b>Nuclear gas distribution effect on the mass determination of distant supermassive black holes</b>	<b>62</b>
4.1	Introduction . . . . .	62
4.2	Results and Discussion . . . . .	64
4.3	Methods . . . . .	69
4.3.1	Sample description . . . . .	69
4.3.2	Estimating $M_{\text{BH}}$ . . . . .	69
4.3.3	$f$ as a function of line width . . . . .	74
4.3.4	Inclination as the source of the $f$ -FWHM <sub>obs</sub> correlation . . . . .	75
4.3.5	Radiation pressure effects . . . . .	81
<b>5</b>	<b>Conclusions</b>	<b>84</b>
	<b>Appendix</b>	<b>87</b>
<b>A</b>	<b>Complementary information to Chapter 2</b>	<b>87</b>

A.1	Demonstrating the quality of X-Shooter spectra . . . . .	87
A.2	New UV iron emission template . . . . .	87
A.3	Emission line constraints . . . . .	89
A.4	Comparison of Observed Emission Line Profiles . . . . .	89
<b>B</b>	<b>Complementary information to Chapter 3</b>	<b>93</b>
B.1	Fitting Procedure, measurements and BALQSO exclusion . . . . .	93
B.2	Sample comparison . . . . .	95
B.2.1	Large sample remarks . . . . .	95
B.2.2	Small sample remarks . . . . .	96
B.3	Principal Component analysis . . . . .	96
<b>C</b>	<b>Accretion disc models</b>	<b>98</b>
C.1	Thin accretion disc model . . . . .	98
C.2	Black hole mass and accretion rate determination . . . . .	98
C.3	Bayesian SED-Fitting Procedure . . . . .	100
	<b>Bibliography</b>	<b>102</b>