

Contents

1	Introduction	1
1.1	Project Hypotheses	5
1.2	Project Objectives	5
1.3	Contributions	6
1.4	Thesis Structure	7
2	State of the art of Power Electronics for Multi-MW WECSs	8
2.1	Introduction	8
2.2	Wind Energy Conversion Systems	9
2.2.1	Topologies	10
2.2.1.1	Type I: Fixed-speed WECS	10
2.2.1.2	Type II: Limited-Variable speed WECS with WRIG	11
2.2.1.3	Type III: Limited-Variable speed WECS with DFIG	12
2.2.1.4	Type IV: Full-variable speed WECS	13
2.2.2	Control of WECSs	15
2.2.2.1	Mechanical Control	15
2.2.2.2	Electrical Control	16
2.2.2.3	Grid Codes	16
2.2.2.4	Other requirements for WECSs	18
2.3	Power Electronics for Multi-MW WECSs	19
2.3.1	Multi-MW WECSs	19
2.3.2	Currently available Power Electronics for Multi-MW WECS	21
2.3.3	Future trends in Power Electronics for Multi-MW WECS	23
2.4	Modular Multilevel Cascade Converters	24
2.4.1	AC-to-AC Modular Multilevel Converters	25
2.4.1.1	Back-to-Back MMC	26
2.4.1.2	Hexverter	27
2.4.1.3	Modular Multilevel Matrix Converter	27
2.4.2	Benchmarking of Modular Multilevel Converters for Multi-MW WECSs	28
2.5	Control Systems for the Modular Multilevel Matrix Converter	30
2.5.1	Conventional Control Strategies	32
2.5.2	Decoupled Control Strategies based on the $\alpha\beta 0$ Transformation	32
2.6	Summary	35
3	Proposed Modelling of the M^3C	36
3.1	Introduction	36

3.2	Modelling of the M^3C	37
3.2.1	Voltage-Current Model of the M^3C	39
3.2.2	Power-Capacitor Voltage Model	43
3.2.2.1	Ripple power components	44
3.3	CCV ripple analysis	46
3.3.1	CCV ripple in $abc - rst$ coordinates	46
3.3.2	CCV ripple in Double- $\alpha\beta 0$ coordinates	47
3.4	Classification of the voltage fluctuations	49
3.5	$\Sigma\Delta$ Transformation applied to the M^3C	50
3.5.1	CCV ripple in $\Sigma\Delta$ Double- $\alpha\beta 0$ coordinates	51
3.5.2	Power-CCV model of the M^3C in $\Sigma\Delta$ Double- $\alpha\beta 0$ coordinates	52
3.6	Vector Power-CCV model of the M^3C	53
3.7	Summary	55
4	Proposed Control Strategies for M^3C based WECS - Converter Control	56
4.1	Introduction	56
4.2	CCV Control Systems	58
4.2.1	Scalar CCV Control Strategy	59
4.2.1.1	Scalar CCV Control Strategy, LFM	60
4.2.1.2	Scalar CCV Control Strategy, EFM	64
4.2.2	Vector CCV Control Strategy	65
4.2.2.1	Vector CCV Control Strategy, LFM	65
4.2.2.2	Vector CCV Control Strategy, EFM	68
4.2.2.3	Transition Control for a broad range of frequency operation	70
4.3	Circulating Current Control	71
4.4	Control of the average CCV component	72
4.5	Single-Cell Control and Modulation Scheme	73
4.6	Summary	74
5	Proposed Control Strategies for based M^3C WECS - WECS Control	75
5.1	Introduction	75
5.2	Wind Turbine Control System	76
5.2.1	MPPT	76
5.2.2	Generator-side current control	77
5.3	Grid-side Control System	79
5.3.1	LVRT Requirements for grid-connected WECSs	79
5.3.2	Grid-side Control Strategy	79
5.3.2.1	Complex Power Considerations	80
5.3.2.2	Calculation of the current references for LVRT control	81
5.3.3	Proposed LVRT control strategy for the M^3C based WECS	83
5.3.4	Sequence Component Separation Method	84
5.3.5	Frequency estimation under unbalance conditions	87
5.4	Controllers Design	87
5.4.1	Design of the CCV Control System	88
5.4.1.1	Scalar CCV Control System	88
5.4.1.2	Vector CCV Control System	88
5.4.2	Design of the Average CCV Control System.	89

5.4.3	Design of the Circulating Current Control System.	89
5.4.4	Design of the Generator-side Control System	89
5.5	Design of the Grid-side Control System	89
5.6	Design of the Single-Cell Balancing	89
5.6.1	Resonant Controllers Design	89
5.7	Summary	92
6	Simulations	93
6.1	Introduction	93
6.1.1	Equivalence of the control strategies for Low Frequency Operation	94
6.2	Simulation Results for Fixed-Speed Steady State Operation	95
6.3	Simulation Results for Variable-Speed WECS Emulation	98
6.4	Simulation Results for Symmetric LVRT operation	102
6.5	Simulation Results for Asymmetric LVRT operation	104
6.6	Simulation Results for Equal Input-Output Frequencies Operation	108
6.6.1	Scalar Control Strategy	108
6.6.2	Vector Control Strategy	110
6.7	Summary	114
7	Experimental Converter	115
7.1	Introduction	115
7.2	Overview of the prototype	116
7.3	Control Platform	118
7.3.1	DSP	119
7.3.2	HPI daughter board	120
7.3.3	FPGA board	122
7.3.3.1	Phase-shifted PWM Implementation	122
7.3.3.2	Data acquisition system	123
7.3.4	Measurement boards	125
7.4	Power Stage	125
7.4.1	H-Bridge Power Cells	125
7.4.2	M^3C passive element dimensioning	128
7.4.2.1	M^3C Power Cell Capacitor dimensioning	128
7.4.2.2	Cluster Inductor dimensioning	129
7.5	Summary	130
8	Results	131
8.1	Introduction	131
8.2	Experimental Results for Fixed-Speed Steady State Operation	132
8.3	Experimental Results for Variable-Speed WECS Emulation	136
8.4	Experimental Results for Symmetric LVRT operation	138
8.5	Experimental Results for Symmetric ZVRT operation	141
8.6	Experimental Results for ASymmetric LVRT operation	144
8.7	Experimental Results for similar Input-Output Frequencies Operation	148
8.8	Summary	150
9	Conclusions and Future Work	151

9.1	Conclusions	151
9.2	Summary of contributions	153
9.3	Future Work	154
10	Publications	155
10.1	Papers related to this Ph.D. project	155
10.1.1	Journal Papers	155
10.1.2	Conference Papers	156
10.2	Participation in other publications	157
10.2.1	Journal Papers	157
10.2.2	Conference Papers	157
	Bibliography	159
A	Double-$\alpha\beta 0$ Transformation of the Voltage-Current Model	171
A.1	First $\alpha\beta 0$ Transformation - System connected to the input port	172
A.1.1	Sub-Converter 1	172
A.1.2	Sub-Converter 2	172
A.1.3	Sub-Converter 3	173
A.1.4	Matrix Representation	174
A.2	Second $\alpha\beta 0$ Transformation - System connected to the output port	174
A.2.1	Sub-Converter 1, $(r, s, t) \rightarrow \alpha$	174
A.2.2	Sub-Converter 2, $(r, s, t) \rightarrow \beta$	175
A.2.3	Sub-Converter 3, $(r, s, t) \rightarrow 0$	175
A.3	Voltage-Current model of the M^3C in Double $\alpha\beta 0$ coordinates	176
A.4	Input/Output Current analyses	176
A.4.1	Generator-side Currents	176
A.4.2	Grid-side Currents	177
A.5	Extended currents equations in Double $\alpha\beta 0$ coordinates	179
B	Double-$\alpha\beta 0$ Transformation of the Power-CCV Model	180
B.1	First $\alpha\beta 0$ Transformation - System connected to the input port	181
B.1.1	Sub-Converter 1	181
B.1.2	Sub-Converter 2	181
B.1.3	Sub-Converter 3	182
B.1.4	Matrix Representation	182
B.2	Second $\alpha\beta 0$ Transformation - System connected to the output port	183
B.2.1	Sub-Converter 1, $(r, s, t) \rightarrow \alpha$	183
B.2.2	Sub-Converter 2, $(r, s, t) \rightarrow \beta$	183
B.2.3	Sub-Converter 3, $(r, s, t) \rightarrow 0$	184
B.3	Power-CCV model of the M^3C in Double $\alpha\beta 0$ coordinates	184
C	Power Components in Double $\alpha\beta 0$ coordinates	185
C.1	First $\alpha\beta 0$ Transformation - System connected to the input port	185
C.1.1	Sub-Converter 1	185
C.1.2	Sub-Converter 2	188
C.1.3	Sub-Converter 3	189
C.2	Second $\alpha\beta 0$ Transformation - System connected to the output port	191

C.2.1	Sub-Converter 1, $(r, s, t) \rightarrow \alpha$	191
C.2.2	Sub-Converter 2, $(r, s, t) \rightarrow \beta$	194
C.2.3	Sub-Converter 3, $(r, s, t) \rightarrow 0$	198
C.3	Final equations	201

List of Tables

2.1	Summary of commercially available DFIG and PMSG based WECSs.	14
2.2	Summary of Grid Codes from different countries.	17
2.3	Summary of WECS projects rated at 10 MW and above.	20
2.4	Comparison of power converters for Multi-MW WECSs.	29
2.5	Overview of published research works of the M^3C	31
3.1	Classification of the Cluster Capacitor Voltage components.	50
4.1	Transition Control for a broad range of frequency operation.	71
5.1	Summary of the Control Systems implemented.	88
6.1	Parameters of the M^3C simulated using PLECS.	94
6.2	Parameters of the Simulated Wind Turbine.	98
7.1	Key components of the Laboratory prototype.	116
7.2	Signals to be measured by the Control Platform of the experimental M^3C	118
7.3	Parameters of the experimental M^3C	126

List of Figures

1.1	Global Cumulative Installed Wind Capacity.	2
1.2	Proposed topology to drive Multi-MW Wind Turbines.	3
1.3	Proposed topology to drive Multi-MW Wind Turbines.	4
2.1	WECS main components and control issues.	10
2.2	Type I WECS.	11
2.3	Type II WECS.	11
2.4	Type III WECS with DFIG.	12
2.5	Type IV WECS.	13
2.6	WECSs main control functions.	15
2.7	LVRT from different countries.	17
2.8	LVRT requirements for WECSs connected to the Distribution System in Denmark.	18
2.9	Reported Multilevel Converter for high power wind turbines.	22
2.10	Traditional multilevel converter topologies.	23
2.11	Modular Multilevel Converter or M^2C	25
2.12	Modular Multilevel Converter in BTB configuration.	26
2.13	Hexverter.	27
2.14	Modular Multilevel Matrix Converters.	28
2.15	Published options for Single-Cell Capacitor Voltage Control.	33
3.1	M^3C composition.	38
3.2	Simplified circuit of the M^3C	39
3.3	Equivalent circuits of the Voltage-Current model of the M^3C in Double- $\alpha\beta 0$ coordinates.	42
4.1	Proposed control strategy.	57
4.2	Proposed Scalar CCV Control Strategy.	59
4.3	Proposed Vector CCV Control Strategy.	67
4.4	Proposed Balancing Control of $\vec{v}_{c0}^{\alpha\beta}$ and $\vec{v}_{c\alpha\beta}^0$	68
4.5	Proposed Mitigation Control of $\vec{v}_{c1\alpha\beta}^{\Sigma\Delta}$ and $\vec{v}_{c2\alpha\beta}^{\Sigma\Delta}$	70
4.6	Circulating Current Control System.	72
4.7	Proposed Single-Cell Balancing Control.	74
5.1	Proposed Control Strategy Generator-side control strategy.	76
5.2	Low Voltage Ride-Through Requirements from different national codes. (a) Magnitude and duration limits of the grid voltage sags. (b) Required Reactive current injection of German Grid-Code.	78

5.3	Proposed grid-side LVRT control strategy.	80
5.4	Proposed LVRT Control Strategy.	84
5.5	Proposed DSC algorithm.	86
5.6	Proposed DSC algorithm.	87
5.7	Resonant control system pole and zero diagram.	91
6.1	Simulation Results for Steady State Operation in LFM	95
6.2	Simulation Results for Steady State Operation in LFM. Average CCV Tracking.	96
6.3	Simulation Results for Steady State Operation in LFM. Single-Cell balancing.	96
6.4	Simulation Results for Steady State Operation in LFM. Synthesised CCV	97
6.5	Simulation Results for Steady State Operation in LFM. Voltages and Currents	97
6.6	Simulation Results for Steady State Operation in LFM. Circulating Currents.	98
6.7	Simulation Results for Variable-Speed Wind Turbine Emulation.	99
6.8	Simulation Results for Variable-Speed Wind Turbine Emulation. Voltages and Currents	100
6.9	Simulation Results for Variable-Speed Wind Turbine Emulation. Circulating Currents.	100
6.10	Simulation Results for LVRT.	101
6.11	Simulation Results for ZVRT. Voltages and Currents	103
6.12	Grid Voltages for a 50% Dip Type C.	104
6.13	Simulation Results for Asymmetric LVRT Control.	105
6.14	Simulation Results for Asymmetric LVRT Control. Voltages and Currents	106
6.15	Simulation Results for Asymmetric LVRT Control (with oscillations).	107
6.16	Amplified view of Active Power	108
6.17	Simulation Results for Equal Frequency Operation using Scalar Control.	109
6.18	Simulation Results for Equal Frequency Operation using Scalar Control. Circulating Currents	110
6.19	Simulation Results for Equal Frequency Operation using Vector Control.	111
6.20	Simulation Results for Equal Frequency Operation using Vector Control. Circulating Currents	112
6.21	Comparison of Scalar and Vector Control Strategies.	113
7.1	Downscaled Laboratory Prototype.	117
7.2	Control platform used in this project.	119
7.3	Block Diagram of the DSKC6713	120
7.4	Components of the Control Platform.	121
7.5	Details of the Control Platform.	124
7.6	Measurement Boards	125
7.7	H-Bridge Power Cells	127
8.1	Experimental Results for Steady State Operation in LFM.	132
8.2	Experimental Results for Steady State Operation in LFM. Average Cluster Capacitor Voltage Tracking.	133
8.3	Experimental Results for Steady State Operation in LFM. Voltages and Currents	134
8.4	Experimental Results for Steady State Operation in LFM. Circulating Currents	134
8.5	Scope Waveforms for Steady State Operation in LFM.	135
8.6	Experimental Results for Variable-Speed Wind Turbine Emulation.	137
8.7	Oscilloscope Waveforms for Variable-Speed Wind Turbine Emulation.	137

8.8	Oscilloscope Waveforms for LVRT control.	139
8.9	Experimental Results for LVRT Control.	139
8.10	Experimental Results for LVRT Control. Voltages and Currents.	140
8.11	Oscilloscope Waveforms for ZVRT control.	141
8.12	Experimental Results for ZVRT Control.	142
8.13	Experimental Results for ZVRT Control. Voltages and Currents.	143
8.14	Experimental Grid Voltages for a 50% Dip Type C.	145
8.15	Experimental Results for Asymmetric LVRT Control	145
8.16	[Experimental Results for Asymmetric LVRT Control. Voltages and Currents. . . .	146
8.17	Experimental Results for LVRT Control using $k_{LVRT} = 1$	147
8.18	Comparison using $k_{LVRT} = 1$ and using $k_{LVRT} = 0$	148
8.19	Experimental Results for around Equal Input-Output Frequencies Operation.	149