

Table of Contents

Introduction	1
I The origin of ferromagnetism in the van der Waals magnet CrI_3	4
1. Hartree Fock mean field approximation in a multi-orbital Hubbard Model	5
1.1. Single-band Hubbard Model	5
1.1.1. Example: one-dimensional chain	6
1.2. Multi-orbital Hubbard model in transition metals	8
1.3. Hartree-Fock approximation of Hubbard Model	8
1.3.1. Hartree-Fock approximation on different parts of Kanamori Hamiltonian	10
1.4. Self-consistent method	13
1.5. Hartree-Fock approximation applied to CrI_3 single layer.	14
1.6. Appendixes	18
2. Anisotropic ferromagnetism from Green's functions method	21
2.1. What is this chapter about?	21
2.2. Spin Hamiltonian	22
2.3. Green's functions method	24
2.4. From electrons to magnons in CrI_3	31
2.5. Spin Hamiltonian for the CrI_3 ferromagnet	36
2.6. Appendixes	40
3. Spin waves in Heisenberg-Kitaev model	46
3.1. Microscopical model	46
3.2. Linearized equations of motion	48
3.3. Spin wave's spectrum	52
3.3.1. Long wavelength limit	54
3.3.2. Vicinity of K and K'	54
3.4. Topological magnons in the Heisenberg-Kitaev Model.	55
3.4.1. Berry's Curvature and Chern's number	56
II Micromagnetic Simulations in 2D surfaces with DMI	58
4. Stability of atomic-sized skyrmions in antiferromagnetic bilayers.	59
4.1. Abstract	59
4.2. Introduction	59
4.3. Theoretical model	61
4.4. Stability and main features of the isolated skyrmion	63
4.5. Final remarks	67

5. Ultrafast domain wall propagation due to the interfacial Dzyaloshinskii-Moriya interaction	69
5.1. Abstract	69
5.2. Introduction.	69
5.3. Ferromagnetic nanutube	70
5.3.1. Static vortex domain wall.	71
5.3.2. Domain wall motion.	75
5.3.3. Walker critical field and maximum velocity.	75
5.4. Conclusions.	78
6. Conclusions	80
Bibliography	82