

Contents

List of Tables	xi
List of Figures	xii
1 Introduction	1
1.1 Preamble	1
1.2 The circum-galactic medium	1
1.3 The baryon cycle around galaxies	2
1.3.1 Gas inflows	3
1.3.2 Gas outflows	3
1.3.3 Recycling	6
1.4 Ways to study the CGM	6
1.4.1 QSOs probing the CGM	7
1.4.2 Galaxies probing CGM	8
1.4.3 Stacking galaxies	8
1.4.4 Probing the CGM down the barrel	9
1.5 Gravitational-arc tomography	10
1.6 This thesis	12
2 Target and data	14
2.1 The giant gravitational arc SGAS J1226	14
2.2 VLT/MUSE	16
2.2.1 Instrument details	16
2.2.2 Data structure	16
2.2.3 Observations	18
2.2.4 Data reduction	18
2.3 Magellan/MagE	19
2.3.1 Instrument details	19
2.3.2 Observations	19
2.3.3 Data reduction	22
2.4 HST observations	22
2.4.1 Observations	22
2.4.2 Data reduction	22
3 Methodology	24
3.1 G1 emission properties	24

3.1.1	Mass and luminosity	25
3.1.2	[O II] emission	26
3.1.3	Star-formation rate of G1	26
3.1.4	G1 emission line ratios	26
3.1.5	Star-formation history of G1	27
3.2	Lens model	27
3.2.1	Morphology of G1	30
3.3	Emission line kinematics	31
3.4	Impact parameters	32
3.5	Mask creation and spaxel selection	32
3.6	Mg II absorption	34
3.6.1	Fixed vs. variable FWHM	34
4	Results	37
4.1	Comparison between Mg II absorption and [O II] emission maps	37
4.2	Comparing spatially-resolved absorption regions around G1	41
4.3	East section of the arc	44
4.4	Equivalent width statistics	44
4.4.1	Equivalent width vs. impact parameter	44
4.4.2	Equivalent width dependence on azimuthal angle	46
4.5	Gas velocities	46
4.5.1	Velocity maps	46
4.5.2	Velocity model by GALPAK	50
4.6	Kinematic comparison with MagE	50
5	Discussion and conclusions	54
5.1	Comparison with quasar statistics	54
5.2	Isotropy of the gas	56
5.3	Maximum extension of the gas	57
5.4	Kinematics	58
5.5	Comparison with an outflow model	58
5.6	Putting it all together: tomographic evidence for an outflow in SGAS J1226+2152 at $z=0.77$	63
6	Summary	64
7	Bibliography	68
A	Mg II spectra	81
B	[O II] spectra	98