Clinical Epigenetics

CORRECTION

Open Access

Correction to: MicroRNA-335-5p is a potential suppressor of metastasis and invasion in gastric cancer

Alejandra Sandoval-Bórquez[1,2,3], Iva Polakovicova[1,3], Nicolás Carrasco-Véliz[1,3,4], Lorena Lobos-González[5,6], Ismael Riquelme[2], Gonzalo Carrasco-Avino[1,7], Carolina Bizama[3,8], Enrique Norero[9,10], Gareth I. Owen[1,3,11], Juan C. Roa[1,2,3,8] and Alejandro H. Corvalán[1,3,12*]

Correction to: Clinical Epigenetics (2017) 9:114
https://doi.org/10.1186/s13148-017-0413-8

Following publication of the original article [1], the authors identified an error in Fig. 2. The correct figure is given below (Fig. 2).

The original article can be found online at https://doi.org/10.1186/s13148-017-0413-8.

*Correspondence: acorvalan@accdis.cl
[1] Advanced Center for Chronic Diseases (ACCDiS), Pontificia Universidad Católica de Chile, Santiago, Chile
Full list of author information is available at the end of the article


a
Migrating cells (%)
**
miR-335 mimic
NC mimic
WT
b
Migrating cells (%)
**
miR-335 inhibitor
NC inhibitor
WT
c
Wound (%)
miR-335 mimic
NC mimic
WT
*
Time (hours)
0 h
10 h
20 h
d
Invading cells (%)
***
e
Invading cells (%)
**

(See figure on previous page.)
Fig. 2 Overexpression of miR-335 inhibits cell migration and invasion. **a**, **b** Representative images of AGS cells transfected with NC/miR-335 mimic or with NC/miR-335 inhibitor in migration assay. **c** Representative images of AGS cells transfected with control NC/miR-335 mimic in wound healing assay. **d**, **e** Representative images of AGS cells transfected with control NC/miR-335 mimic or with NC/miR-335 inhibitor in invasion assay. Results represent the means of three independent experiments; bars indicate SD. *$p < 0.05$, **$p < 0.01$, ***$p < 0.001$. WT, wild type

Author details
[1] Advanced Center for Chronic Diseases (ACCDiS), Pontificia Universidad Católica de Chile, Santiago, Chile. [2] Laboratory of Molecular Pathology, Department of Pathology, School of Medicine, BIOREN-CEGIN, and Graduate Program in Applied Cell and Molecular Biology, Universidad de La Frontera, Temuco, Chile. [3] Center UC for Investigational in Oncology (CITO), Pontificia Universidad Católica de Chile, Santiago, Chile. [4] Instituto de Química, Faculty of Science, Pontificia Universidad Católica de Valparaíso, Valparaiso, Chile. [5] Advanced Center for Chronic Diseases (ACCDiS), Universidad de Chile, Santiago, Chile. [6] Fundación Ciencia Y Vida, Parque Biotecnológico, Santiago, Chile. [7] Department of Pathology, Faculty of Medicine, Hospital Clínico Universidad de Chile, Santiago, Chile. [8] Department of Pathology, Faculty of Medicine, Pontificia Universidad Católica de Chile, Santiago, Chile. [9] Esophagogastric Surgery Unit, Hospital Dr. Sótero del Río, Santiago, Chile. [10] Digestive Surgery Department, Pontificia Universidad Católica de Chile, Santiago, Chile. [11] Department of Physiology, Faculty of Biological Sciences, Pontificia Universidad Católica de Chile, Santiago, Chile. [12] Department of Hematology-Oncology, Faculty of Medicine, Pontificia Universidad Católica de Chile, Santiago, Chile.

Published online: 08 March 2021

Reference

1. Sandoval-Bórquez A, Polakovicova I, Carrasco-Véliz N, Lobos-González L, Riquelme I, Carrasco-Avino G, Bizama C, Norero E, Owen GI, Roa JC, Corvalán AH. MicroRNA-335-5p is a potential suppressor of metastasis and invasion in gastric cancer. Clin Epigenet. 2017;9:114. https://doi.org/10.1186/s13148-017-0413-8.

Publisher's Note