

Contents

1	Introduction	1
1.1	Biofilm	1
1.1.1	Objective: to interrupt biofilm formation	3
1.2	Active matter	3
1.2.1	Bacterial suspensions	4
1.2.2	<i>Escherichia coli</i>	5
1.3	Surface effects	7
1.3.1	Curved surfaces	8
1.4	Thesis structure	10
2	Experiments	11
2.1	Experimental Protocols	11
2.1.1	Bacteria culture	11
2.1.2	Fabrication of microfluidic devices	12
2.1.3	Experimental setup	14
2.2	Image analysis	14
2.2.1	Mask creation	15
2.2.2	Noise treatment	17
2.2.3	Intensity analysis	18
2.2.4	Bacteria tracking	20
3	Numerical models and simulations	27

3.1	Theoretical framework	27
3.1.1	Agent-based models	27
3.1.2	Overdamped dynamics	27
3.1.3	Rotational diffusion	28
3.1.4	Alignment with the wall	30
3.2	Simulations	31
3.2.1	The collision force	31
3.2.2	Rotational diffusion	32
3.2.3	Final model	32
3.2.4	Numerical integration	33
3.2.5	Intensity profiles in simulations	35
3.2.6	Algorithm	36
4	Results	37
4.1	Observations	37
4.1.1	Cell adhesion	37
4.1.2	Circular trajectories	38
4.1.3	Flat wall trapping	38
4.1.4	Steric alignment with the wall	39
4.1.5	Clustering	41
4.2	Mean intensity	44
4.2.1	Two-dimensional mean intensity	44
4.2.2	Intensity profiles	45
4.2.3	The c_1 coefficient	47
4.2.4	Mean of the normalized intensity	52
4.3	Tracking	55
4.3.1	Speed distribution	55
4.3.2	Speed profiles	58

4.3.3	Characteristic times	60
5	Conclusions and perspectives	63
	Bibliography	65
	Annexed	71
	Normalized intensity and speed profiles for all cases	72