

Table of content

1	Introduction	1
1.1	Problem Statement	2
1.2	Theoretical Background	5
1.3	Hypotheses	7
1.4	Research Questions	7
1.5	Objectives	7
1.5.1	General objective	7
1.5.2	Specific objectives	7
1.6	Developed Solution	8
1.7	Methodology	9
1.7.1	Study Questions	10
1.7.2	Theoretical Framework and Study Propositions	10
1.8	Overview of the Thesis Document	11
2	Related Work	13
2.1	Persuasive Technology	13
2.2	Positive Technology	14
2.3	Gamification	15
2.4	Web-Based Interventions	18
2.5	Rehabilitation Therapies	20
2.6	Summary of Related Work	21
3	Solution Design Iteration I: Therapy Prototyping	23
3.1	Prototype Design	23
3.2	Therapy Component Analysis	24
3.2.1	Therapy Flow	24
3.2.2	Visual Neglect Test	25
3.2.3	Visual Field Test	27
3.2.4	Crowded Desk Test	30
3.2.5	Activities of Daily Living Questionnaire	31
3.2.6	Visual Search Therapy Game	32
3.3	Prototype development	34
3.4	Iteration Evaluation	36
3.4.1	System Testing	36
3.4.2	Acceptance Test	36
4	Solution Design Iteration II: Gamification Prototyping and Design	38
4.1	Mechanics	38

4.1.1	Non-playable Character	38
4.1.2	Sound Design	40
4.1.3	Tutorials and Signposting	42
4.1.4	Theme and Narrative	42
4.1.5	Levels and Difficulty	44
4.1.6	System Feedback	45
4.1.7	Unlockable Content and Customisation	46
4.1.8	Reward System	47
4.1.9	Game Breaks	51
4.2	Dynamics	51
4.2.1	Cooperation	51
4.2.2	Accessibility	52
4.2.3	Smooth On-Boarding	52
4.2.4	Flow	52
4.2.5	User Progress	53
4.2.6	Habit Development	53
4.2.7	Skill Development	53
4.3	Aesthetics	53
4.3.1	Social Relatedness	54
4.3.2	Challenge	54
4.3.3	Expression	54
4.3.4	Submission	55
4.4	User Validation	55
4.4.1	Methodology	55
4.4.2	Participants	55
4.4.3	Equipment and tools	55
4.4.4	Procedure	55
4.4.5	Data collection and analysis	57
4.4.6	Results	57
4.5	Iteration Results and discussion	58
5	Solution Design Iteration III: Implementation of Conceived Gamification	
	Mechanics	59
5.1	Application Architecture Design	59
5.2	Presentation Layer	61
5.2.1	Application Design	62
5.2.2	Data and Save System	63
5.2.3	Networking	64
5.2.4	NPC Companion	66
5.2.5	Goal and Reward system	73
5.2.6	Google Login	75
5.3	Logic Layer and server configuration	76
5.3.1	Web Application Model-View-Controller Implementation	77
5.4	Data Layer	80
5.4.1	MySQL database	80
5.5	Server Configuration and Deployment	80
5.6	User Validation	81

5.6.1	Methodology	81
5.6.2	Participants	82
5.6.3	Equipment and tools	82
5.6.4	Procedure	82
5.6.5	Data collection and analysis	83
5.6.6	Results	83
5.7	Iteration Results and discussion	86
6	Proof of concept	88
6.1	User adherence	88
6.2	User performance and therapeutic effectiveness	90
6.3	Perceived usefulness of Gamification mechanics	93
6.3.1	Methodology	93
6.3.2	Participants	94
6.3.3	Equipment and Tools	94
6.3.4	Procedure	95
6.3.5	Thematic analysis	96
6.4	Results and discussion	97
6.5	Design Implications	101
7	Conclusions and Future Work	104
	Bibliografia	114
	Annexes	115
	Annexed A	115
	A.1 Introduction	115
	A.2 Guideline	115
	Annexed B	117
	B.1 User Adherence	117

List of Tables

3.1	Software Requirements of the Visual Neglect Assessment Test.	26
3.2	Software Requirements of the Visual Field Assessment Test.	29
3.3	Software Requirements of the Crowded Desk Search Assessment Test.	31
3.4	Software Requirements of the Crowded Desk Search Assessment Test.	32
3.5	Software Requirements of the Visual Search Activity.	33
6.1	Number of users per therapy section on the original and the redesigned Eye-Search.	89
6.2	Results of the two factor within-subject ANOVA test over user average reaction speed.	92

6.3	Sociodemographic descriptive table of the participants sample used for the qualitative component of the study.	95
1	Results of the Saphiro-Wilk test over the groups of the users reaction speed dataset.	117

List of Figures

1.1	Screenshots from the four Eye-Search assessment tests.	3
1.2	MDA Framework three main components with its equivalents. Taken from (Leblanc, 2004) [34]	6
1.3	Schema depicting the user centred design methodology.	9
3.1	The three types of ring featured on the Visual Neglect Test.	25
3.2	Display of the interactive phase of first prototype of the Visual Neglect Assessment Test.	26
3.3	Visual Field Test visual stimuli distribution.	27
3.4	Instructions of the Visual Field Test featured on the original version of Eye-Search.	28
3.5	Visual Field Test alternative phase on the first prototype of the application.	28
3.6	Visual Field Test possible distributions by degree of vision.	29
3.7	Search round of the Crowded Desk Test on the first prototype of the solution.	30
3.8	Activities of Daily Living Questionnaire on the first prototype of the application.	31
3.9	Visual Search Therapy Activity on the first prototype of the application.	33
3.10	Schema of Unity component-driven engine with a combination of components that build games. Taken from (Baron, 2019) [6]	34
3.11	Assembly hierarchy on solution first iteration.	36
4.1	MDA design of the gamified version of Eye-Search.	39
4.2	Design of the NPC companion for the redesigned Eye-Search. Art by Pablo Polaco.	41
4.3	Capture of the main menu featured on the prototype of the second iteration of the solution.	43
4.4	The three visual varieties of the Visual Search Therapy activity featured on the second iteration of the redesign of the Eye-Search application.	45
4.5	Capture of the collection menu on the prototype of the second iteration of the solution.	47
5.1	Three-layer design of the redesigned version of the Eye-Search application.	60
5.2	Interaction flow of the different scenes of the Eye-Search application.	62
5.3	Assemblies	63
5.4	Sprite sheet with individual sprites that make up the NPC character appearance.	68

5.5	The seven animations that the NPC companion can display	68
5.6	Representation of the NPC animation state machine.	70
5.7	Screenshot of the main menu of the Eye-Search application with two of the four daily goals completed.	74
5.8	Schema of the database created for the data layer of the Eye-Search application.	81
5.9	Visualisation of time taken per task on the Talking Aloud validation.	84
5.10	Visualisation of number of critical and non-critical errors per task on the Talking Aloud validation.	85
5.11	Examples of the changes of clickable areas of the objects in the Crowded Desk Test.	87
6.1	Visualisation with linear regression of User average use time per therapy day.	90
6.2	Visualisation with linear regression of User average visual search rounds done per therapy day.	91
6.3	Visualisation of users average reaction speed per vision side and time section.	92
6.4	Visualisation of users' self rated difficulty per ADL and time section.	93
6.5	Visualisation of users average reaction speed on visual search per therapy day.	94
1	Visualisation of the distribution of users average reaction speed per side on the Crowded desk search test.	118
2	Visualisation of users average reaction speed per side on the Crowded desk search test.	118
3	Visualisation of users self reported difficulty on the Activities of daily living questionnaire.	119
4	Visualisation of users average reaction speed on the Visual Search therapeutic activity, per day of therapy.	120
5	Visualisation of users average number of rounds played on the Visual Search therapeutic activity, per day of therapy.	120
6	Visualisation of users average number of hours of interaction with the Eye-Search application, per day of therapy.	121