

Growth Inhibition of Bacterial Fish Pathogens and Quorum-Sensing Blocking by Bacteria Recovered from Chilean Salmonid Farms

Por: de la Fuente, M (de la Fuente, Mery)^[1,2]; Miranda, CD (Miranda, Claudio D.)^[3,4]; Jopia, P (Jopia, Paz)^[5]; Gonzalez-Rocha, G (Gonzalez-Rocha, Gerardo)^[6]; Giuliani, N (Giuliani, Nicolas)^[7]; Sossa, K (Sossa, Katherine)^[5]; Urrutia, H (Urrutia, Homero)^[5]

JOURNAL OF AQUATIC ANIMAL HEALTH

Volumen: 27

Número: 2

Páginas: 112-122

DOI: 10.1080/08997659.2014.1001534

Fecha de publicación: 2015

[Ver información de revista](#)

Resumen

The main goal of this study was to find bacterial isolates with the ability to inhibit the growth of the fish pathogens *Aeromonas hydrophila*, *Vibrio anguillarum*, and *Flavobacterium psychrophilum* and to inhibit the blockage of the quorum-sensing (QS) system. A total of 80 gram-negative strains isolated from various freshwater Chilean salmonid farms were studied. We determined that 10 strains belonging to the genus *Pseudomonas* inhibited at least one of the assayed fish pathogens. Of these, nine strains were able to produce siderophores and two strains were able to inhibit the growth of all assayed pathogenic species. When the 80 strains were examined for QS-blocking activity, only the strains *Pseudomonas* sp. FF16 and *Raoultella planticola* R5B1 were identified as QS blockers. When the QS-blocker strains were analyzed for their ability to produce homoserine lactone (HSL) molecules, thin-layer chromatography analysis showed that both strains were able to produce C6-HSL- and C8-HSL-type molecules. Strain R5B1 did not show growth inhibition properties, but strain FF16 also led to inhibition of growth in *A. hydrophila* and *F. psychrophilum* as well as to siderophore production. *Pseudomonas* sp. FF16 exhibited potentially useful antagonistic properties and could be a probiotic candidate for the salmon farming industry.

Palabras clave

KeyWords Plus: Acylated Homoserine Lactones; Vibrio-Anguillarum; Flavobacterium-Psychophilum; Aeromonas-Hydrophila; Biofilm Formation; Signal Molecules; In-Vitro; Artemia-Franciscana; Biological-Control; Colony Morphology

Información del autor

Dirección para petición de copias: Miranda, CD (autor para petición de copias)

+ Univ Catolica Norte, Dept Acuicultura, Lab Patobiol Acuat, Larrondo 1281, Coquimbo, Chile.

Direcciones:

+ [1] Univ Catolica Santisima Concepcion, Fac Ingn, Dept Ingn Ambiental & Recursos Nat, Lab Biotecnol &

- [+] [2] Univ San Sebastian, Fac Ciencias, Dept Ciencias Biol & Quim, Concepcion, Chile
- [+] [3] Univ Catolica Norte, Dept Acuicultura, Lab Patobiol Acuat, Larrondo 1281, Coquimbo, Chile
- [+] [4] Ctr Estudios Avanzados Zonas Aridas, Larrondo 1281, Coquimbo, Chile
- [+] [5] Univ Concepcion, Lab Biopeliculas & Microbiol Ambiente, Ctr Biotechnol, Concepcion, Chile
- [+] [6] Univ Concepcion, Fac Ciencias Biol, Lab Antibiot, Concepcion, Chile
- [+] [7] Univ Chile, Fac Ciencias, Dept Biol, Lab Comunicac Bacteriana, Santiago, Chile

Direcciones de correo electrónico:cdmirand@ucn.cl

Financiación

Entidad financiadora	Número de concesión
Fondo Nacional de Ciencia y Tecnología de Chile	1040924 1101009

[Ver texto de financiación](#)

Editorial

TAYLOR & FRANCIS INC, 530 WALNUT STREET, STE 850, PHILADELPHIA, PA 19106 USA

Categorías / Clasificación

Áreas de investigación:Fisheries; Veterinary Sciences

Categorías de Web of Science:Fisheries; Veterinary Sciences

Información del documento

Tipo de documento:Article

Idioma:English

Número de acceso: [WOS:000356381800006](#)

ISSN: 0899-7659

eISSN: 1548-8667

Información de la revista

- Impact Factor: [Journal Citation Reports®](#)

Otra información

Número IDS: CK7AP

Referencias citadas en la Colección principal de Web of Science: **83**

Veces citado en la Colección principal de Web of Science: 0