

Cardiovascular function in term fetal sheep conceived, gestated and studied in the hypobaric hypoxia of the Andean altiplano

Por:[Herrera, EA](#) (Herrera, Emilio A.)^[1,2]; [Rojas, RT](#) (Rojas, Rodrigo T.)^[1]; [Krause, BJ](#) (Krause, Bernardo J.)^[1]; [Ebensperger, G](#)(Ebensperger, German)^[1]; [Reyes, RV](#) (Reyes, Roberto V.)^[1]; [Giussani, DA](#) (Giussani, Dino A.)^[3]; [Parer, JT](#) (Parer, Julian T.)^[4]; [Llanos, AJ](#) (Llanos, Anibal J.)^[1,2]

JOURNAL OF PHYSIOLOGY-LONDON

Volumen: 594

Número: 5

Páginas: 1231-1245

DOI: 10.1113/JP271110

Fecha de publicación: MAR 1 2016

[Ver información de revista](#)

Resumen

High-altitude hypoxia causes intrauterine growth restriction and cardiovascular programming. However, adult humans and animals that have evolved at altitude show certain protection against the effects of chronic hypoxia. Whether the highland fetus shows similar protection against high altitude gestation is unclear. We tested the hypothesis that high-altitude fetal sheep have evolved cardiovascular compensatory mechanisms to withstand chronic hypoxia that are different from lowland sheep. We studied seven high-altitude (HA; 3600m) and eight low-altitude (LA; 520m) pregnant sheep at approximate to 90% gestation. Pregnant ewes and fetuses were instrumented for cardiovascular investigation. A three-period experimental protocol was performed in vivo: 30min of basal, 1h of acute superimposed hypoxia (approximate to 10% O₂) and 30min of recovery. Further, we determined ex vivo fetal cerebral and femoral arterial function. HA pregnancy led to chronic fetal hypoxia, growth restriction and altered cardiovascular function. During acute superimposed hypoxia, LA fetuses redistributed blood flow favouring the brain, heart and adrenals, whereas HA fetuses showed a blunted cardiovascular response. Importantly, HA fetuses have a marked reduction in umbilical blood flow versus LA. Isolated cerebral arteries from HA fetuses showed a higher contractile capacity but a diminished response to catecholamines. In contrast, femoral arteries from HA fetuses showed decreased contractile capacity and increased adrenergic contractility. The blunting of the cardiovascular responses to hypoxia in fetuses raised in the Alto Andino may indicate a change in control strategy triggered by chronic hypoxia, switching towards compensatory mechanisms that are more cost-effective in terms of oxygen uptake.

Palabras clave

KeyWords Plus:[ALTITUDE CHRONIC HYPOXIA](#); [HEART-RATE RESPONSE](#); [BLOOD-FLOW](#); [LONG-TERM](#); [NITRIC-OXIDE](#); [INTRAUTERINE GROWTH](#); [OXYGEN-TRANSPORT](#); [ACUTE HYPOXEMIA](#); [BIRTH-WEIGHT](#); [LLAMA FETUS](#)

Información del autor

Dirección para petición de copias: Llanos, AJ (autor para petición de copias)

- + Univ Chile, Fac Med, Inst Ciencias Biomed, Programa Fisiopatol, Avda Salvador 486, Santiago 7500922, Chile.

Direcciones:

- [1] Univ Chile, Fac Med, Inst Ciencias Biomed, Programa Fisiopatol, Avda Salvador 486, Santiago 7500922, Chile
- [2] Univ Chile, Int Ctr Andean Studies INCAS, Santiago 7500922, Chile
- [3] Univ Cambridge, Dept Physiol Dev & Neurosci, Cambridge, England
- [4] Univ Calif San Francisco, Dept Obstet Gynecol & Reprod Sci, San Francisco, CA 94143 USA

Direcciones de correo electrónico:aallanos@med.uchile.cl

Financiación

Entidad financiadora	Número de concesión
National Fund for Scientific and Technological Development (FONDECYT-Chile)	1120605 1130424 1140647 1151119
Wellcome Trust Collaborative Research Initiative	072256

[Ver texto de financiación](#)

Editorial

WILEY-BLACKWELL, 111 RIVER ST, HOBOKEN 07030-5774, NJ USA

Categorías / Clasificación

Áreas de investigación:Neurosciences & Neurology; Physiology

Categorías de Web of Science:Neurosciences; Physiology

Información del documento

Tipo de documento:Article

Idioma:English

Número de acceso: [WOS:000371524900011](#)

ID de PubMed: 26339865

ISSN: 0022-3751

eISSN: 1469-7793

Información de la revista

- Impact Factor: Journal Citation Reports®

Otra información

Número IDS: DF7GC

Referencias citadas en la Colección principal de Web of Science: [62](#)

Veces citado en la Colección principal de Web of Science: [1](#)